# GARDEN TRACTOR PARTS MANUAL

# **SOVEREIGN**

GTH-L

900 Series


2800 Series

7100 Series

Attachments

&

Accessories



# When ordering parts, keep your products serial number and manufacturer's number in mind. Variations may occur in a part between early & later model products, causing the product serial number to be listed in the parts description whenever these variations occur. Record your I.D. numbers here for quick, future reference. Product Mig. No. \_\_\_\_\_\_ S/N \_\_\_\_\_ Mower Mig. No. \_\_\_\_\_ S/N \_\_\_\_\_ Attention: Standard torques appear in a chart at the end of the manual, while important individual torques are given on specific parts drawings. CRITICAL and MAJOR notations point out important facts or instructions which relate to personal safety and proper machine operation. Any CRITICAL notation which may appear in this book, pinpoints characteristics which, if not properly followed, can create a safety hazard. Any MAJOR notation which may appear in this book, marks characteristics which, if not properly followed, may result in operating failure, shortened product life, or greatly reduced quality of the unit. For your convenience, assembly notes are included in parts drawings to assist in repair and assembly of unit.

# SIMPLICITY BRAND PRODUCTS

OILS - SPECIFICALLY BLENDED OF HIGH QUALITY BASE OILS & ADDITIVES.

**Special Worm Gear Oil:** Required for protection of brass gears and mating parts.

 Cold Weather Worm Gear Oil for snowthrowers with worm gear drive. 8 Oz. Bottle, Part #1704636, Case of 12-8 Oz. Bottles, Part #1685406.

Multi-Purpose Hydraulic/Transmission Oil for use in most hydraulic applications, and hydrostatic transmissions. Specific Simplicity applications: All hydrostatic transmissions, all bevel gear cases. Case of 12 Quarts, Part #1885516, 2-1/2 Gallon Container, Part #1685539.

SAE 5W-30 SF/CD Cold Weather Engine Oil for use in all four cycle and diesel engines at 30° temp. and under. Case of 12 quarts, Part #1685576.

SAE 15W-40 SF/CD Engine OII for gas and diesel engines, warm weather; see engine manufacturer recommendations. Case of 12 quarts, Part #1685554.

SAE 30W SG/CC Detergent Engine Oil for use in four cycle lawn and garden engines at operating temp, of 32° and above. Also recommended for use in hydrostatic transmissions where 30W oil is specified. Case of 12 quarts, Part #1685659.

**DEGREASER, DEGRIMER, PARTS CLEANER** removes grease, oil, dirt and grime without harming paint or decals.

1 Quart w/Trigger Spray 1 Gallon Bottle

1685619 1685621

Extension Sprayer for

Gallon Bottle

1685623

TOUCH-UP PAINT keeps equipment in showroom condition.

Spray Cans	Quarts	Daubers-12 Per Ctn.
For Products Built After	8/1/89.	
"Deep Orange" 13 Oz. Can 1685611 Case 12 Cans 1685614	1685612	1685616 Mixed 6 Deep Or./ 6 White 1/2 Oz. Bottles
"Gloss Black" 13 Oz. Can 1685639 Case 12 Cans 1685640	1685641	N/A
"White" 13 Oz. Can 103049 Case 12 Cans 1685178	1685032	See Above
"Red" 13 Oz. Can 1685722	N/A	N/A

Consult decai on equipment for proper color.

### **AVAILABLE ACCESSORIES:**

**DESIGNER SEAT COVERS** are double stitched, easy care vinyl. Keeps new seats new, makes worn seats look new.

Small Seat Cover w/Pocket, Part #1685540. Fits all Rear Engine Riders, FC, RT Series Tractors.

Large Seat Cover w/Pocket, Part #1685541. Fits all 12.5 & 16 LT and GT Series Tractors.

Seat Cover, Part #1685577. Fits all 18 & 20 GTH Tractors.

PNEUMATIC TIRE SEAL seals all leaks including bead leaks and punctures up to 3/16 inch diameters. Prevents flats for tread life of tire. Available in following amounts.

Case of 12 -11 Oz. Tubes 1685537 Case of 24 -11 Oz. Tubes 1685525 5 Gallon Pail 1685527 HOUR METER KIT, Part #1685535.

GREASE GUN KIT has 12" flexible hose to get into tight spots with ease. Kit contains: gun and 1-8 Oz. tube of grease. Part #1685510. For replacement tube, order Part #103077.

#### CHROME "Moon" Hubcaps


·	
4° Rim	163114
6" Rim	
	156210
8" Rim	156211
CON TILL	190211
10" Rim	1667782
12" Rim	
IE CHILL	154505

# **Table of Contents**

MFG.NO.	DESCRIPTION	PAGE NO.
1600050	ONE-POINT HITCH	4
1600236	DUMP CART	
1600395	VACUUM COLLECTOR CART COVER	
1685167	STOP ASSEMBLY KIT (SDC-SPEED)	
1685170	STOP ASSEMBLY KIT (HYDRO)	
1685225	P.T.O DRIVE KIT	
1690026	48* VACUUM COLLECTOR ADAPTOR	
1690027	42" VACUUM COLLECTOR ADAPTOR	
1690031	VACUUM COLLECTOR ROVING NOZZLE	
1690032	42" SNOWTHROWER	
	Body & Rotor Group	
	Drive Group	1В
	Spout & Lift Group	
	Hitch Group	
1690033	P.T.O. Group	
1030033	Body & Rotor Group	16
•	Drive Group	
	Spout & Lift Group	
	Hitch Group	22
	P.T.O. Group	
1690038	42* GRADER BLADE	26
1690039	36" TILLER	
	Housing Group	
	Drive Group Deflector & Tine Group	
1690085	42" DOZER BLADE	
1690088	48" DOZER BLADE	
1690116	SPOUT ROTATOR (SNOWTHROWER)	
1690159	P.T.O. 540 RPM	
1690287	38" TILLER	
1090201	Clutch & Drive Group	42
	Frame, Deflector & Tine Group	
	Hitch & Lift Group	
	Skid Shoe Group	
1690356	FRONT P.T.O. KIT	50
1690392	POWER LIFT KIT	
1690401	CART COVER & SIDE PLATE	
1690402	FRAME MOUNTED VACUUM COLLECTOR	56
1690404	REAR LIFT KIT	
1690411	REAR WHEEL WEIGHT	60
1690497	42" DOZER BLADE HITCH	62
1690498	46" DOZER BLADE HITCH	54
1690500	DUAL LIFT	66
1690501	42" ROTARY MOWER	
	Housing & Arbor Group	
	Cover, Drive & Bail Group	
	Height Adjuster & Rollers Group	
	Denetion address control of Physics Action (2000)	( PA


# **Table of Contents**

MFG.NO.	DESCRIPTION	PAGE NO.
1690502	48" ROTARY MOWER	
	Housing & Arbor Group	
	Cover, Drive & Bail Group	108
	Height, Adjuster & Roller Group	
	Deflector, Stone Guard & Rocker Arm Group	75
1690503	P.T.O. DRIVEN VACUUM COLLECTOR	82
1690542	SNOWTHROWER KIT	86
1690547	38" SNOWTHROWER	
	Body & Rotor Group	88
	Drive Group	90
	Spout Group	92
1690548	42" SNOWTHROWER	
	Body & Rotor Group	88
	Drive Group	90
	Spout Group	92
1690555	FRONT WHEEL WEIGHT	
1690557	36" & 42" HITCH	94
1690558	ALTERNATOR W/BRACKET	86
1690565	WINTERIZING KIT	
1691021	POWER STEERING KIT	
1691196	REAR LIGHT KIT	
1691218	42" ROTARY MOWER	······································
	Housing & Arbor Group	60
	Cover, Drive & Bail Group	70
	Height, Adjuster & Roller Group	72
	Deflector, Stone Guard & Rocker Arm	74
1691219	48" ROTARY MOWER	·
	Housing & Arbor Group	76
	Cover, Drive & Bail Group	78
	Height, Adjuster & Roller Group	
	Deflector, Stone Guard & Rocker Arm	
1691352	REAR WHEEL WEIGHT, 50 LBS	50
1691520	42" DOZER BLADE	98
1691521	36" SNOWTHROWER	
	Body & Rotor Group	88
	Drive Group	
	Spout Group	92
1691522	42" SNOWTHROWER	
	Body & Rotor Group	88,,,,,
	Drive Group	
	Spout Group	92
1691526	WIDE BODY CART COLLECTOR	
	Cart Group	
	Tube & Hitch Group	
1691986	DUMP CART - 7'	
1692098	POWER STEERING KIT	11B
1692257	48" MOWER DRIVEN VACUUM SYSTEM	
	Blower Group	
	Cover & Support Group	




Ref. No.	Part No.	Qty.	Description
		<u></u>	
1	154305	1	PIN, YOKE
2	154304	1	YOKE, End Adj.
3	106788	5	CLIP, Spring
4	1919262	1	LOCKNUT, Hex, Jam, 1/2-20
5	1604349	1	ROD, ⊔ <del>it</del>
6	1924361	1	WASHER, Plain, 1/2
7	1603321	1	PIN, Hitch
8	*1915726	2	NUT, Hex, Full, 5/8-11
9	927340	2	CAPSCREW, Hex Hd., 5/8-11 x 2-1/4
10	1603816	1	PLATE, Stabilizer
11	1675373	1	CLEVIS ASSY.
12	155037	2	Pi N

<sup>\*</sup>Used with early model clevis only; later models have nuts welded to clevis.




NOTE: Use standard hardware torque spec, chart unless otherwise noted.

Ref. No.	Part No.	Gty.	Description
1	102005	1	PLATE, Box Guide
2	102033	i	PIVOT, Box Assy.
3	102027	i	AXLE ASSY.
4	102025	i	FRAME ASSY.
5	102037	1	TONGUE ASSY.
6	102040	i	PLATE, Box Catch
7	102051	1	CLEVIS ASSY.
8	102075	1	SPRING, Torsion
9	1713992	ż	WHEEL & TIRE ASSY. (Incl. Ref. Nos. 10 - 13
10	1713994	2	TIRE
11	153038	2	TUBE, 4.00 x 8
12	156316	4	BEARING
13	1713993	2	WHEEL
14	8151076	2	BUSHING
15	102004	2	PIN, Pivot
16	105249	1	PIN
17	1921210	2	CAPSCREW, Hex, 3/8-16 x 1
18	916950	6	NUT, Hex, Full, 3/8-16
19	916965	6	LOCKWASHER, 3/8
20	917378	3	WASHER, 3/8
21	1921978	2	CAPSCREW, 5/16-18 x 2
22	1920415	2	CAPSCREW, Hex, 3/8-16 x 1-1/4
23	1918196	3	PIN, Quick
24	1918433	2	WASHER, Plain, 3/4
25	1918459	2	PIN, Cotter, 3/16 x 1-1/2
26	1 <del>9</del> 22130	2	CAPSCREW, Hex, 3/8-16 x 2-1/4
27	1923362	2	NUT, Hex, Full, 5/16-18
28	1930651	1	NUT, Hex, Full, 3/8-16
29	930596	1	CAPSCREW, Hex, 3/8-16 x 2-3/4
30	1668462	1	END GATE ASSY.
31	1668478	1	BODY, Traiter




NOTE: Use standard hardware torque spec, chart unless otherwise noted.

Ref.	Part		
No.	No	Qty.	Description
1	177917	1	COVER, Cart
2	178187	2	PANEL, Side
3	178188	2	BAIL
4	178191	2	BAR, Reinforcement, Side
5	178192	2	BAR, Reinforcement, End
6	159134	6	WASHER, Special
7	163065	2	STOP, Selt
8	170000	2	LATCH
9	170001	2	LATCH, Rod
10	170002	2	LEVER
11	170134	6	LINK, Repair
12	178189	4	PłN
13	178190	1	BRACKET
14	178198	2	BRACKET
15	1916950	4	NUT, Hex, 3/8-16
16	1917378	8	WASHER, Plain, 3/8
17	1921332	4	CAPSCREW, Hex Hd., 5/16-18 x 3/4
18	1920415	2	CAPSCREW, Hex Hd., 3/8-16 x 1-1/4
19	1917642	6	WASHER, Plain, 5/16
20	1918452	2	COTTER PIN, 1/8 x 1
21	1923362	4	LOCKNUT, Hex, 5/16-18 x 17/64
22	1930651	8	LOCKNUT, Hex, Full, 3/8-16



Rear P.T.O. Drive Kit



Ref. No.	Part No.	Qty.	Description	
*1		t	STOP ASSY., (Six-Speed)	
			STOP ASSY., (Hydro)	
2	1922126	1	CAPSCREW, Hex, 5/16-18 x 3/4	
3	1917356	1	LOCKWASHER, 5/16	
4	1917372	1	NUT, Hex, Full, 5/16-18	
5	1667175	1	DECAL, Adjustment	


<sup>\*</sup>For replacement, order complete kit.

Mfg. No. 1685225


#### Rear P.T.O. Drive Kit

Ref. No.	Part No.	Qty.	Description
1	1671696	2	LOCKWASHER, 5/16
2	917372	2	NUT, Hex, 5/16-18
3	921332	2	CAPSCREW, 5/16-18 x 3/4, Gr. 5
4	917378	2	WASHER, Plain
5	916965	1	LOCKWASHER, 3/8
6	916950	1	NUT, Hex. 3/8-16
7	920415	1	CAPSCREW, Hex Hd., 3/8-16 x 1-1/4, Gr. 5
8	1657712	1	PULLEY, Idler
9	1671233	1	BRACKET, Idler

\*120



42" Vacuum Collector Adapter




#### 48" Vacuum Collector Adapter

Ref. No.	Part No.	Qty.	Description
1	1924356	1	WASHER
2	1663752	1	SPACER
3	928706	4	RIVET, Tubular, Oval Hd., 3/6 x 5/16
4	177044	1	PLATE, Adaptor
5		1	ADAPTOR, 48* (See Ref. No. 6)
6	177045	1	ADAPTOR ASSY, 48" (Incl. Ref. Nos. 3, 4, 5)
7	931942	1	NUT, Push Pal, 3/8

Mfg. Nos. 1690027

#### 42° Vacuum Collector Adapter


Ref. No.	Part No.	Qty.	Description
1	1924356	1	WASHER
2	1663752	1	SPACER
3	928706	4	RIVET, Tubular, Oval Hd., 3/6 x 5/16
4	177044	1	PLATE, Adaptor
5		1	ADAPTOR, 42" (See Ref. No. 6)
6	177047	1	ADAPTOR ASSY., 42" (Incl. Ref. Nos. 3, 4, 5)
7	931942	1	NUT, Push Pal, 3/8




NOTE: Use standard hardware torque spec, chart unless otherwise noted.

Ref. No.	Part No.	A.	Danishallan
HO.	ND.	City.	Description
1	123111	1	FLANGE, Hose
2	1916622	1	NUT, Hex, 1/4-20
3	1916964	1	LOCKWASHER, Spring. 1/4
4	1928866	1	SCREW, Rd. Hd., 1/4-20 x 3
5	123065	1	CLAMP, Hose
6	123127	1	HOSE ASSY.
7	1921332	2	CAPSCREW, Hex Hd., 5/16-18 x 3/4
8	123129	1	HANDLE, Hose
9	123128	2	CLAMP, Hose
10	1918468	2	NUT, Wing, 5/16-18
11	1917356	2	LOCKWASHER, Spring, 5/16
12	1664122	1	STOP, Belt
13	1668683	1	DECAL, Warning

#### Safety Decal (Ref. No. 13)





NOTE; Use standard hardware torque spec, chart unless otherwise noted.

Ref. No.	Part No.	Qty.	Description
1	177565	2	CLIP, Frame
2	1920676	4	CAPSCREW, Hex Hd., 7/16-14 x 1
3	1922586	2	CAPSCREW, Hex Hd., 3/8-16 x 5/8
4	1916965	6	LOCKWASHER, 3/8
5	1930650	4	LOCKNUT, Flange, 2-Way Lock, 7/16-14
6	1916950	6	NUT, 3/8-16
7	1713541	1	BODY & FRAME ASSY:, (36" only)
	1713542	1	BODY & FRAME ASSY., (42" only)
8	172279	2	FLANGE, Bearing, w/Fitting
9	173934	2	BEARING, Cartridge ,w/Setscrew
10	172278	2	FLANGE, Bearing
11	171221	1	PLATE, Side
12	1917397	7	CAPSCREW, Hex Hd., 5/16-18 x 3/4
13	1918691	1	SETSCREW, Socket Hd., 5/16-18 x 5/16
14	106653	1	SPROCKET
15	1928692	2	SETSCREW, 1/4-28 x 1/4
16	1917372	11	NUT, Hex, 5/16-18
17	1917356	11	LOCKWASHER, 5/16
18	1922110	4	CARRIAGE BOLT, 3/8-16 x 3/4
19	1713424	2	SKID
20	1917378	4	WASHER, Plain, 3/8
21	106856	1	ROTOR ASSY. (36" only)
	106748	1	ROTOR ASSY. (42" only)
22	151040	1	KEY, Hi-Pro
23	1921959	10	CAPSCREW, 1/4-20 x 5/8 (Qty. 9 on 36" only)
24	1916964	11	LOCKWASHER, 1/4 (Oty. 9 on 36" only)
25	1916622	10	NUT, Hex, 1/4-20 (Qty, 9 on 36" only)
26	106863	1	SCRAPER, Body (36" only)
	106368	1	SCRAPER, Body (42" only)
27	1923362	2	LOCKNUT, 5/16-18
28	1917377	3	WASHER, Plain, 1/4
29	1925205	2	CAPSCREW, Hex Hd., 5/16-18 x 5/8, Gr. 5
30	106774	1	DEFLECTOR
31	913316	4	CAPSCREW, Hex Hd., 5/16-18 x 5/8
32	171388	1	BEARING
33	161247	1	DECAL, Safety
34	1650226	1	STOP, Belt
35	1677485	1	DECAL, Danger

Safety Decais Ref. No. 33 & Ref. No. 35


CAUTION.
TO AVOID POSSIBLE INJURY

\*EFFER TO DPESATERS MANUAL FOR SAFETY - OD NOT USE BLANDS TO UNAFLUG CHUTE OR AUGUS AND SHIGLDS IN PLACE.

\*KEEP ALL DIVARDS AND SHIGLDS IN PLACE.


\*TIOP FURINE, ESKEDNE REF, AND ES SURE ALL MOVING FAIR REVEALED IN THE STORE SHOWN FOR DANAGE TO PERSORS OR AUGUSPLUTE STORE SERVICING OR DIVERS LILLOW ANYONE IN FRONT OF DESCRIPTION OF DE





Ref. No.	Part No.	Qty.	Description
1	1928721	1	SETSCREW, Sq. Hd., 5/16-18 x 1/2
2	1922127	2	CAPSCREW, Hex Hd., 5/16-18 x 1-3/4
3	8061012	7	WASHER
4	1928352	7	LOCKNUT, Flange, 3/8-16
5	1917356	2	LOCKWASHER, 5/16
6	1917372	2	NUT, 5/16
7	154248	2	BEARING, Needle
8	1651084	1	BEARING & HOUSING ASSY, (36" only)
	1650955	1	BEARING & HOUSING ASSY, (42° only)
9	921133	1	FITTING, Grease
10	1676738	1	GUARD, Chain
11	1669105	2	SPACER
12	171242	1	CHAIN
13	1960244	2	SCREW. Whizlock, 3/8-16 x 2-3/4
14	106860	1	SHAFT ASSY. (36" only)
	106757	1	SHAFT ASSY. (42" only)
15	905123	1	KEY, Woodruff, #9, 3/16 x 3/4
16	1666145	2	CLAMP, Housing
17	928728	3	SCREW, Whizlock, 3/8-16 x 1
18	171248	1	PULLEY
19	174224	1	V-BELT






NOTE: Use standard hardware torque spec, chart unless otherwise noted,

Ref.	Part		
No.	No.	Qty.	Description
1	1666172	1	SPOUT ASSY.
2	1920582	2	CARRIAGE BOLT, 5/16-18 x 3/4
3	106760	1	EXTENSION, Spout
4	1917378	2	WASHER, Plain, 3/8
5	1930665	2	LOCKWASHER, Dished, 3/8
6	106229	2	NUT, Wing
7	171379	1	WASHER, Cup
8	1917377	i	WASHER, Plain, 1/4
9	1917356	1	LOCKWASHER, 5/16
10	1917372	i .	NUT, Hex, Full, 5/16-18
11	171362	1	CABLE ASSY.
12	171382	1	CLAMP
13	8031007	2	COLLAR, Set
14	1928721	2	SETSCREW, 5/16-18 x 1/2
15	171679	_ 1	GUIDE ASSY., Rod
16	1930645	2	NUT, Flange, 3/8
17	1677488	1	DECAL, Danger
18	1927428	1	SCREW, Taptite, 1/4-20 x 3/8
19	922000	2	PIN, Cotter, 3/32 x 5/8
20	176933	1	GRIP, Handle
21	152050	ŧ	GUIDE, Red
22	121175	1	LINER, Guide
23	1921977	1	CAPSCREW, Hex, 5/16-18 x 1-1/4
24	1923362	1	LOCKNUT, Hex, Full, 5/16-18
25	106788	2	CLIP, Spring
26	171680	1	ROD, Front Lift
27	171011	1	SPRING
28	1921210	2	CAPSCREW, Hex, 3/8-16 x 1
29	177567	1	ARM SUPPORT
*30	1713419	1	HANDLE, Spout Control
*31	1713417	1	ROD ASSY., Spout Control
*32	1923325	2	CAPSCREW, Hex Hd., 5/16-18 x 7/8
*33	1935048	2	NUT, Hex, Flange Lock, 5/16-18
*34	171388	1	BEARING, Self-Align, 1/2 I.D.


NOTE: Early style one-piece spout control handles can be replaced with Service Kit Part No. 1686618 which includes Ref. Nos. 30 - 34.

Safety Decal Ref. No. 17






Ref.	Part		
No.	No.	Qty.	Description
1	172162	1	EYEBOLT
2	1916964	1	LOCKWASHER, 1/4
3	1916622	1	NUT, Hex, 1/4-20
4	1665570	1	HITCH ASSY.
5	1918452	3	PIN, Cotter, 1/8 x 1
6	156306	2	PIN
7	106788	4	CUP, Spring
8	118053	2	PIN
9	171247	1	PULLEY, Idier
10	1917642	6	WASHER, Plain, 5/16
11	1921971	1	CAPSCREW, Hex, 3/8-16 x 1-3/4
12	174334	1	BRACKET ASSY., Idler (Incl. Ref. No. 13)
13	921133	3	FITTING, Grease
14	174334	1	BRACKET ASSY., Idler
15	174335	1	BRACKET ASSY., Idler
16		1	BRACKET ASSY., Idler (Order Ref. No. 15)
17	193072	3	WASHER
18	1921969	1	CAPSCREW, Hex, 3/8-16 x 1-1/2
19	927695	2	RING, Retaining
20	1705897	t	BEARING
21	1666281	1	PULLEY ASSY., Idler
22	170291	í	SPACER
23	1930651	2	LOCKNUT, Hex, 3/8-16
24	1916950	1	NUT, Hex, 3/8-16
25	176342	1	GUIDE, Belt
26		1	LEVER ASSY., Idler (Order Ref. No. 27)
27	174332	1	LEVER ASSY., Idler
28	173747	1	SPRING



Ref. No.	Part	Qty.	Description
	No.		
1	121037	1	SPRING
2	1663655	1	ROD ASSY., Clutch
3	172517	1	DECAL
4	172038	1	KNOB
5	1651170	1	HANDLE, Clutch Control
6	171319	1	ARM, P.T.O.
7	1930651	1	LOCKNUT, Hex. 3/8-16
8	178282	1	BOOT, Rubber
9	122234	1	NUT, Special
10	122233	1	SWITCH, Safety
11	1921333	2	CAPSCREW, Hex, 5/16-18 x 1 (Briggs engine only)
	1921965	2	CAPSCREW, Hex, 3/8-16 x 3/4 (Kohler engine only)
12	1916965	3	LOCKWASHER, 3/8 (Qty. 1 used on Briggs only)
	1918199	1	LOCKWASHER, 7/16 (Kohler engine only)
13	1917356	2	LOCKWASHER, 5/16 (Briggs engine only)
14	1651027	1	BRACKET
15	1923362	2	LOCKNUT, Hex, 5/16
*16	171241	1	KEY (Briggs engine only)
*17	1651448	i	SPACER (Briggs engine only)
*18	171819	1	PLATE ASSY., Clutch (Briggs engine only)
19	1663501	†	FORK, Clutch
20	172141	1	PIVOT
21	1917642	t	WASHER, Plain, 5/16
22	922000	1	COTTER PIN, 3/32 x 5/8
23	1921332	2	CAPSCREW, Hex, 5/16-18 x 3/4
24	1917377	2	WASHER, Plain, 1/4
25	165034	2	SPACER
26	171947	1	SUPPORT ASSY., Brake
*27	171770	٦	SLEEVE (Briggs engine only)
28	156065	1	WASHER
29	171776	1	SHEAVE
30	164048	1	BEARING, Bail
31	108134	1	RING, Backing
32	171772	1	SPRING
33	1651061	1	WASHER
34	923433	1	CAPSCREW, Hex, 3/8-14 x 1-3/4 (Briggs engine only)
	920594	1	CAPSCREW, Hex, 7/16-20 x 2 (Kohler engine only)


<sup>\*</sup> For Kohler engine, see Front P.T.O. Kit, Mfg. No. 1690356.



NOTE: Use standard hardware torque spec, chart unless otherwise noted.

Ref.	Part		
No.	No,	Oty.	Description
1	108199	2	LINK, Mower Lift
2	107031	1	CHAIN
3	8021024	1	CLIP, Spring
4	8181008	1	PIN, Pivot
5	153058	1	PIN
6	1921210	2	CAPSCREW, Hex Hd., 3/8-16 x 1
7	1915726	3	NUT, Hex, Full, 5/8-11
8	1916950	1	NUT, Hex, Full, 3/8-16
9	1916965	1	LOCKWASHER, 3/8
10	106788	2	CLIP, Spring
11	107057	2	LINK
12	108551	1	LIFT, Mower
13	118053	2	PIN
14	121210	2	WASHER
15	159134	1	WASHER
16	1917373	3	LOCKWASHER, 5/8
17	1917378	2	WASHER, 7/16
18	1918196	1	PIN, Quick
19	922218	3	CAPSCREW, Hex Hd., 5/8-11 x 3
20	1930651	1	LOCKNUT, Hex, Full, 3/8-16
21	1917356	1	LOCKWASHER, 5/16
22	1917642	2	WASHER, 5/16
23	1920564	1	CARRIAGE BOLT, 5/16-18 x 1-1/4
24	1928698	1	LOCKNUT
25	107058	1	HITCH ASSY.
28	107062	1	BAR ASSY., Draw
27	107056	1	BLADE, 42"
28	172738	1	BRACKET ASSY.






Ref. No.	Part No.	Qty.	Description
1	105336	2	CHAIN #40
2	178174	1	CHAIN #50
3	1650841	1.	TRANSMISSION SUB ASSY.
			(Incl. Ref. Nos. 1-16, 18-38 on this page &
			Ref. Nos. 1-5, 7, 11, 17, 18, 19, 34, 36 & 38
			in the 36° Tiller-Drive Group)
4	915019	2	FITTING, Grease
5	105132	2	BOLT
6	1916966	4	LOCKWASHER, 1/2
7	105320	2	BAR, Side
8	1917372	4	NUT, Hex, Full, 5/16-18
9	1917356	4	LOCKWASHER, 5/16
10	1669337	2	BEARING
11	1923362	14	LOCKNUT, Hex, Full, 5/16-18
12	105366	1	CASE ASSY, Haff, R.H.
13	105365	2	SEAL
14	1669338	2	PLATE ASSY., Upper Bearing
15	1927320	4	RING, Retaining
16	8281014	4	WASHER
17	105195	4	BEARING, Roller
18	105192	1	SPACER, Inter
19	105298	1	SHAFT ASSY, Pulley
*20	1650975	1	SPROCKET & BEARING ASSY.
*21		1	SPROCKET ASSY.
22	105360	2	SPACER
23	178177	1	SHAFT ASSY., Tine
**24		1	SPROCKET
**25	1650976	1	SPROCKET & BEARING ASSY.
26	105292	1	SPACER, Inter.
27	1930651	6	LOCKNUT, Hex, Jam, 3/8-16
28	1669298	2	PLATE ASSY.
29	105357	2	SEAL
30	105309	2	BEARING
31	105363	2	CAP, Grease
32	1930644	2	LOCKNUT, Flange, 1/2-13
33	105367	1	CASE ASSY, Half, L.H.
34	1925205	14	CAPSCREW, Hex Hd., 5/16-18 x 5/8
35	1918431	1	WASHER, Plain, 1/2
36	1926158	1	CAPSCREW, Hex Hd., 1/2-13 x 4
37	1929528	2	CAPSCREW, Hex Hd., 1/2-20 x 1
38	105373	i	GASKET

<sup>\*</sup> Ref. No. 20 Includes Ref. Nos. 17 & 21. \*\* Ref. No. 25 Includes Ref. Nos. 17 & 24.






Ref.	Part		
No.	No.	—: Qty.	Description
1	1923471	1	CAPSCREW Hex Hd, 7/16-14 x 1-1/4
2	1925125	2	WASHER, Plain, 3/8
3	105346	2	SPACER
4	1930650	2	LOCKNUT, Flange, 7/16-14
5	105339	1	SPACER
6	1927557	2	LOCKNUT, Whiz, 5/16-18
7	105359	i	SUPPORT, Rear Belt Guard
8	920562	2	BOLT, Carriage, 5/16-18 x 3/4
9	105326	1	GUARD, Belt
10	118053	1	PIN .
11	1671344	ť	BAR ASSY, Lift
12	176012	2	CLIP, Spring (Serviced in 5-pack only)
13	174896	1	SPRING
14	1930651	1	LOCKNUT, 3/8-16
15	1916950	1	NUT, Hex, Full, 3/8-16
16	1916965	1	LOCKWASHER, 3/8
17	105295	1	LEVER ASSY, Clutch
18	1925940	1	WASHER, Plain, 7/16
19	1930585	1	CAPSCREW, Hex Hd, 7/16-14 x 3-1/2
20	176366	1	GUARD ASSY
21	1924940	9	WASHER, Plain, 5/16
22	1928352	1	NUT, Flange, Whizlock, 3/8-16
23	1657777	1	ARM ASSY, Idler
24	156306	1	PIN
25	1666294	2	SPACER
26	1657712	1	PULLEY, Idler
27	105340	1	BELT"V", Drive
28	105380	1	PULLEY, Idler
29	1923701	1	CAPSCREW, Hex Hd, 3/8-16 x 2
30	1913709	1	CAPSCREW, Hex Hd, 3/8-16 x 3
*31	1685147	1	PULLEY ASSY
32	105302	1	PULLEY
33	157427	1	KEY
34	1926159	1	CAPSCREW, Hex Hd ,1/2-13 x 5
35	1924361	4	WASHER, Plain, 1/2
36	105386	2	SPACER
37	1930644	1	LOCKNUT, Hex, 1/2-13
38	1651844	1	FRAME ASSY
39	155037	2	PIN
40	176012	2	CLIP, Spring (Serviced in 5-pack only)
	1650978	1	ARM SUB ASSY, Idler (Includes Ref Nos
			20, 21, 22, 23, 26, 27, 28 & 29)

<sup>\*</sup>Ref No. 31 Includes Ref. No. 25,

\*96



Ref. No.	Part	Qty.	Description
	No.		
1	105274	1	PLATE, End Deflector, R.H.
2	1927557	15	LOCKNUT, Flange, 5/16-18
3	1931332	15	CARRIAGE BOLT, 5/16-18 x 5/8
4	105369	1	DEFLECTOR ASSY., R.H.
5	1609700	2	DECAL, Safety
6	105354	1	SHIELD
7	1650461	1	BLADE ASSY., L.H.
8	105330	1	CHANNEL, Reinforcement
9	1921966	2	CAPSCREW, Hex Hd., 3/8-16 x 7/8
10	1930645	1	NUT, Hex, Flange Lock, 3/8-16
11	1650460	1	BLADE ASSY., R.H.
12	105337	4	KEY
13	1933260	2	CAPSCREW, Hex Hd., 3/8-16 x 3/4
14	105273	1	PLATE, End, Deflector, L.H.
15	105370	t	DEFLECTOR ASSY, L.H.
16	1934654	4	SCREW, Hex, Whizlock, 3/8-16 x 1
17	1928867	16	LOCKNUT, Hex, 7/16-20
18	105376	8	BLADE, Tine, R.H.
19	105375	8	BLADE, Tine, L.H.
20	1651504	2	HUB & PLATE ASSY.
21	1920353	16	CAPSCREW, Hex Hd., 7/16-20 x 1-1/2
22	105249	2	PIN
23	1918451	2	COTTER PIN, 1/8 x 3/4


#### Safety Decal Ref. No. 5

## **AWARNING**


MOVING TILLER TINES AND BELT DRIVE MAY CAUSE PERSONAL INJURY.

STAY CLEAR OF TILLER WHEN TRACTOR ENGINE IS RUNNING.

SHUT OFF TRACTOR AND REMOVE KEY BEFORE INSTALLING, SERVICING OR ADJUSTING TILLER.



46" Dozer Blade




NOTE: Use standard hardware torque spec, chart unless otherwise noted.

Ref. No.	Part No.	Qty.	Description	
1	107024	2	SHOE ASSY.	
2	1 <b>070</b> 45	1	PLATE, Wear	
3	107047	1	BLADE ASSY.	
4	1916950	10	NUT, Hex, Full, 3/8-16	
5	1916965	10	LOCKWASHER, 3/8	
6	922249	4	CARRIAGE BOLT, 3/8-16 x 1	
7	1922110	6	CARRIAGE BOLT, 3/8-16 x 3/4	

Mfg. No. 1690088

## 46° Dozer Blade


Ref. No.	Part No.	Qty.	Description
1	107096	1	BLADE ASSY.
2	107105	1	PLATE, Wear
3	107106	2	SHOE ASSY.
4	1921965	4	CAPSCREW, Hex Hd., 3/8-16 x 3/4
5	1916950	7	NUT, Hex, Full, 3/8-16
6	1916965	11	LOCKWASHER, 3/8
7	1922249	7	CARRIAGE BOLT, 3/8-16 x 1
8	1607472	1	ROD ASSY., Control
9	1917378	4	WASHER, Flat



NOTE: Use standard hardware torque spec, chart unless otherwise noted.


Ref.	Part		
No.	No.	Gty.	Description
* 1	1664115	1	SPOUT CONTROL, Motor
2	174072	1	BEARING, Flange
3	174078	1	HUB
4	176104	1	BRACKET, Motor
5	1923341	3	CAPSCREW, Hex Hd, 1/4-20 x 3/4
6	1916964	3	LOCKWASHER, Spring, 1/4
7	1921319	3	WASHER, Plain, 1/4
8	1930547	2	SCREW, Hex, Skt Hd, #10-24 x 3/8
9	122186	1	CLAMP
10	165034	2	SPACER
11	172436	1	CLI P Cable
12	174428	1	SWITCH, Spout Control
13	1650958	1	RING, Locking
14	1650959	1	NUT
15	1650960	1	LOCKWASHER, Int
16	174504	1	HARNESS ASSY, Switch
17	176102	1	ROD, Spout Control
18	176306	1	HARNESS, Wiring
19	1921210	2	CAPSCREW, Hex Hd, 3/8-16 x 1
20	1916950	2	NUT, Hex, 3/8-16
21	1916965	2	LOCKWASHER, Spring, 3/8
22	1924940	2	WASHER, Plain, 5/16
23	921450	1	PIN, Spring, 5/32 x 1
24	1927428	1	SCREW, Hex, Wash. Hd, Taptite, 1/4-20 x 3/8
25	1605751	1	CONNECTOR
26	1651147	1	WIRE ASSY
*27	1664175	1	ADAPTOR, Hamess
28	106491	1	BEARING

<sup>\*</sup>When ordering Ref. No. 1 you must also order Ref. No. 27 unless already equipped.



Ref.	Part		
No.	No.	Oty.	Description
1	1930540	2	SETSCREW, Sq. Hd., 5/16-18 x 5/8
2	154216	1	SHAFT, Lift
3	8021010	1	COLLAR, Set
4	1928721	1	SETSCREW, Sq. Hd., 5/16-18 x 1/2
5	1930651	3	LOCKNUT, Hex, 3/8-16
6	167021	1	PIVOT ASSY.
7	105285	1	PULLEY, Idler
8	1917378	1	WASHER, Plain, 3/8
9	905850	1	KEY, Sq., 3/16 x 1
10	1928691	4	SETSCREW, Hex. Socket Hd., 5/16-18 x 5/16
11	164202	1	PULLEY
12	167032	1	STOP, Belt
13	1917646	4	WASHER, Plain, 5/16
14	1917356	12	LOCKWASHER, 5/16
15	1917372	12	NUT, Hex, Full, 5/16-18
16	1655069	1	BELT, Drive
17	1655046	1	GUARD ASSY., Belt & Pulley
18	167020	1	PULLEY, (Incl. Ref. No. 10)
19	1918452	1	PIN, Cotter, 1/8 x 1
20	8081503	1	GUIDE ASSY., Clutch
21	1928804	1	SETSCREW, Sq. Hd., 1/4-20 x 3/8
22	8191022	1	COLLAR, Set
23	163103	1	SPRING
24	167025	1	ROD, Clutch
25	1923362	1	LOCKNUT, Hex, 5/16-18
26	162063	1	STUD
27	1918447	1	COTTER PIN, 3/32 x 3/4
28	167026	1	HANDLE ASSY.
29	8021050	1	BALL, Knob
30	167014	1	SHAFT ASSY, (Incl. Ref. Nos. 31 & 33)
31		2	SHAFT, Spline (Order Ref. No. 30)
32	167029	1	PIN, Dowel
33		1	SHAFT, PTO (Order Ref. No. 30)


NOTE: Parts Ref. Nos. 34-59 found on following page.



Ref. No.	Part No.	Qty.	Description
34	905123	2	VEV Was don't 10 aug aug
35	167030	2	KEY, Woodruff, #9, 3/16 x 3/4 DECAL, Waming
36	8061012	16	WASHER
37	167009	2	FLANGE ASSY.
38	1921221	4	CAPSCREW, Hex Hd., 5/16-18 x 1-1/2
39	154258	4	BEARING, Needle
40	912808	2	FITTING, Grease, 1/4-28
41	167006	2	HOUSING, Needle
42	172550	1	GUARD ASSY.
43	121121	1	SPACER, Latch
44	106479	2	SUPPORT ASSY., Clamp
45	108257	4	WASHER
46	167007	1	SHAFT ASSY.
47	155037	2	PIN
48	106058	1	CHAIN
49	167017	1	SPROCKET
50	106788	2	CLIP, Spring (Serviced 5 in a pack)
51	1925205	3	CAPSCREW, Hex Hd., 5/16-18 x 5/8
*52	1933254	2	SCREW, Flange, Whiz., 3/8-16 x 2-1/4 (Later models)
		2	STUD (Earlier models)
53	913958	1	FltTING, Grease, Drive, 1/4
54	1928352	6	NUT, Hex, Whizlock, 3/8-16
55	167001	1	FRAME ASSY.
56	1921965	2	CAPSCREW, Hex Hd., 3/8-16 x 3/4
57	167011	1	GUARD ASSY,, PTO
58	1921332	3	CAPSCREW, Hex Hd., 5/16-18 x 3/4
59	157695	1	COLLAR, Set

<sup>\*</sup>To replace Stud on early model tractors, order Kit No. 1685135 which includes one each of Part Nos. 121121, Spacer; 928532, Nut; and 933254, Screw.


NOTE: Parts Ref. Nos. 1-33 are found on preceding page.



NOTE: Use standard hardware torque spec, chart unless otherwise noted.

Ref. No.	Part No.	Oty.	Description
1	172496	1	CHAIN, Roller
2	172497	1	CHAIN, Roller
3	1657560	1	GUARD, Belt
4	1921960	2	CAPSCREW, Hex Hd., 1/4-20 x 1
5	1917377	5	WASHER, Plain, 1/4
6	1657929	2	SPACER
7	1923358	2	LOCKNUT, Hex, 1/4-20
8	1657690	1	SHAFT ASSY.
9	8061012	2	WASHER
10	172747	2	BEARING, Needle
11	1917372	4	NUT, Hex, Full, 5/16-18
12	1917356	4	LOCKWASHER, 5/16
13	1921221	2	CAPSCREW, Hex, 5/16-18 x 1-1/2
14	914687	1	FITTING, Grease
15	1657394	1	HOUSING ASSY.
16	1657386	1	SEAL
17	1930651	2	LOCKNUT, Hex, 3/8-16
18	1924356	4	WASHER, Special
19	170368	2	WASHER
20	157424	1	WASHER, Special
21	170177	2	ROLLER
22	170369	2	SPACER
23	172452	1	SPACER
24	1922648	2	CAPSCREW, Hex Hd., 3/8-16 x 4
25	905123	1	KEY
26	1916950	3	NUT, Hex, Full, 3/8-16
27	1916965	3	LOCKWASHER, 3/8
28	1917642	6	WASHER, 5/16
29	1665436	1	PULLEY, Idler
30	1666294	1	SPACER
31	1921969	2	CAPSCREW, Hex Hd., 3/8-16 x 1-1/2
32	1657712	1	PULLEY ASSY., Idler
33	105380	1	PULLEY
34	1657777	1	ARM ASSY., Idler
35	1920415	1	CAPSCREW, Hex Hd., 3/8-16 x1-1/4
36	105351	1	GUARD, Belt
37	156306	1	PIN
38	1657562	1	ROD, Pivot
39	1925205	14	CAPSCREW, Hex Hd., 5/16-18 x 5/8
40	1657593	1	BRACKET, Guard Pivot
41	106787	2	C∐P, Spring
42	1657517	1	BELT, 'V", Drive
43	1657852	1	GUARD, Groove
44	153052	1	WASHER
45	1657513	1	PULLEY


NOTE: Parts Ref. Nos. 46 - 63 continued on the following page.



NOTE: Use standard hardware torque spec, chart unless otherwise noted.

Ref. No.	Part No.	Qty.	Description	
46	172777	1	SPROCKET ASSY.	_
47	1930536	2	SETSCREW, Sq. Hd., 3/8-16 x 3/4	
48	172669	2	KEY	
49	172454	1	SPACER	
50	1929528	1	CAPSCREW, Hex Hd., 1/2-20 x 1	
51	1916966	2	LOCKWASHER, 1/2	
52	8281014	2	WASHER	
53	172744	1	SPROCKET ASSY.	
54	172453	1	SPACER	
55	105195	2	BEARING	
56	172456	1	SPACER	
57	1918431	1	WASHER, 1/2	
56	105132	1	BOLT, Side, R.H.	
59	914687	1	FITTING, Grease	
60	1923362	12	LOCKNUT, Hex, 5/16-18	
61	1924856	1	SCREW, Hex Hd., 5/16-18 x 1/2	
62	1657551	1	COVER ASSY.	
63	172482	1	GASKET	





Ref. No.	Part No.	Qty.	Description
1	1920563	2	CARRIAGE BOLT, 5/16-18 x 1
2	1657529	1	SUPPORT ASSY.
3	1921333	1	CAPSCREW, Hex Hd., 5/16-18 x 1
4	1657692	1	SHIM, Plate
5	1657317	2	DECAL, Safety
6	1657384	i	DEFLECTOR
7	1657389	1	ROD, Deflector
8	1918448	1	COTTER PIN, 3/32 x 1
9	1928635	2	SCREW, Thread Forming, Taptite, 3/8-16 x 1-1/4
10	1922606	6	CAPSCREW, Hex Hd., 3/8-16 x 1-3/4
			(Used with Roberts Bearing)
11	1916965	6	LOCKWASHER, 3/8
12	1657397	1	HOUSING ASSY.
13	1685396	2	FLANGE, Bearing Kit (Incl. Ref. No. 14)
14	175138	2	GUARD ASSY., Trash
15	172512	12	TINE, L.H.
16	1657400	1	SHAFT ASSY., Tine
17	1925204	48	CAPSCREW, Hex Hd., 3/8-16 x 1
18	1930645	48	LOCKNUT, Hex, 3/8-16
19	172511	12	TINE, R.H.
20	1917372	3	NUT, Hex, Full, 5/16-18
21	1917356	3	LOCKWASHER, 5/16
22	172934	1	BUTTON, Piug
23	172458	1	SEAL
24	172507	1	RETAINER, Seal
25	1922605	6	CAPSCREW, Hex Hd., 3/8-16 x 1-1/4
			(Used with Fafnir & Peer Bearings)

Safety Decal Ref. No. 5


# **AWARNING**

MOVING TILLER TINES AND BELT DRIVE MAY CAUSE PERSONAL INJURY.

STAY CLEAR OF TILLER WHEN TRACTOR ENGINE IS RUNNING.


SHUT OFF TRACTOR AND REMOVE KEY BEFORE INSTALLING, SERVICING OR ADJUSTING TILLER.






NOTE: Use standard hardware torque spec, chart unless otherwise noted.

Ref. No.	Part No.	Qty.	Description
<del></del>	<del></del>		_ <del></del>
1	1657756	1	YOKE ASSY., Lift
2	1923471	3	CAPSCREW, Hex Hd., 7/16-14 x 1-1/4
3	1917378	2	WASHER, 3/8
4	105346	2	SPACER
5	1930650	3	LOCKNUT, Flange, 7/16-14
6	1657527	1	ARM ASSY., Pivot
7	156306	1	PIN
8	1657601	1	SPACER
9	1657524	1	SHIELD, Pulley
10	1928729	4	SCREW, Hex Hd., Taptite, 5/16-18 x 3/8
11	920260	1	CAPSCREW, Hex Hd., 3/8-16 x 4-1/4
12	1930645	2	LOCKNUT, Flange, 3/8-16
13	157262	1	SPRING
14	1917377	1	WASHER, 1/4
15	1918448	1	COTTER PIN, 3/32 x 1
16	1657762	1	HITCH ASSY., Tiller Half
17	105386	2	SPACER
18	1920328	2	CAPSCREW, Hex Hd., 1/2-13 x 1-1/2
19	1930644	2	LOCKNUT, Flange, 1/2-13
20	118053	1	PIN
21	106788	2	CLIP, Spring
22	155037	2	PIN
23	176012	2	CLIP, Spring, Safety
24	1657811	1	HITCH ASSY., Tractor Half
25	1657754	12	ROLLER
26	1657755	3	CLAMP
27	1931352	12	CARRIAGE BOLT, 3/8-16 x 1-1/2
28	1916965	12	LOCKWASHER, 3/8
29	1916950	12	NUT, Hex, Full, 3/8-16
30	1926192	2	WASHER, Plain, 1/2
31	1657759	1	BAR ASSY., Lift
32	1657846	1	BRACE, Transmission
33	1920677	2	CAPSCREW, Hex Hd., 7/16-14 x 1-1/4
34	105010	2	WASHER
35	1657910	1	ARM ASSY., Lift
36	1921978	1	CAPSCREW, Hex Hd., 5/16-18 x 2
37	1917356	1	LOCKWASHER, 5/16
38	1917372	1	NUT, Hex, Full, 5/16-18



Front P.T.O. Kit

\*\*115




Ref. No.	Part No.	Qty.	Description	
	·-··		<u>.                                    </u>	
1	172875	2	SKID ASSY.	
2	1960289	2	CAPSCREW, Hex Hd., 5/8-11 x 3	
3	1923353	2	LOCKNUT, Hex, 5/8-11	
4	172879	2	BRACKET, Adjusting	
5	1921210	2	CAPSCREW, Hex Hd., 3/8-16 x 1	
6	1930651	5	LOCKNUT, Hex, 3/8-16	
7	1923087	2	PIN, Yoke, 3/8	
8	1918196	2	CLIP, Spring	

Mfg. No. 1690356


#### Front P.T.O. Kit

Ref. No.	Part No.	Qty,	Description	
1	1663743	1	SLEEVE, Polley	
2	1663741	1	PLATE ASSY., Clutch	
3	1663742	1	SPACER	
4	154096	1	KEY, Square	




Ref.	Part		
No.	No.	Qty.	Description
í	1651166	1	HARNESS ASSY., Electric Lift
2	171683	1	SWITCH ASSY., Electric
3	171969	1	WIRE, Switch-to-Ground
4	1651165	1	WIRE, Switch-to-Ignition
5	171950	1	WIRE, Switch-to-Lift
6	171951	1	WIRE, Switch-to-Lift
7	1922586	2	CAPSCREW, Hex, 3/8-16 x 5/8
8	172430	1	STOP, Pointer
9	1923683	4	SCREW, Hex Hd., Taptite, 3/8-16 x 3/4
10	1923362	1	LOCKNUT, Hex, 5/16-18
11	172145	1	SUPPORT ASSY., Pump
12	1926106	1	CAPSCREW, Hex Hd., 5/16-18 x 3-1/4
13	175527	1	DECAL, Lift Control
14	171025	1	PIN
15	1918447	2	COTTER PIN, 3/32 x 3/4
16	1704922	1	POWER ACTUATOR ASSY.
17	1663966	1	12 VOLT, D.C. MOTOR KIT
18	1605773	1	CAPSCREW, Thread Forming
19	1605778	1	PIN, Drive
20	1664757	1	COVER, Housing
21	1928589	4	SCREW, Phillips Hd., #10-24 x 1
*22	1664756	4	BRUSH, w/Spring, 3/8 x 1/4 x 1/4
			(For new style motor)
	1663249	4	BRUSH, 3/8 x 7/32 x 7/32 (For old style motor)
	1663250	4	SPRING (For old style motor)
23	1704924	1	GEAR ASSY., 2nd & 3rd
24	1704925	1	OUTPUT GEAR & SLIP CLUTCH ASSY.
25	1664758	1	HOUSING, Motor
26	1664759	1	BALL SCREW ASSY.
27	1605779	1	SLEEVE

<sup>\*</sup>Take note of size of brushes before ordering required parts. For old style motors, spring and brush must be ORDERED SEPARATELY.




Ref. No.	Part No.	Qty.	Description
1	1928866	1	SCREW, Round, Hd., 1/4-20 x 3
2	1916964	1	LOCKWASHER, 1/4
3	1916622	1	NUT, Hex, 1/4-20
4	123067	1	CLAMP, Hose
5	1665782	1	CONNECTOR, Hose 6"
6	1921959	4	CAPSCREW, Hex Hd., 1/4-20 x 5/8
7	1665781	1	DEFLECTOR
8	1923358	4	LOCKNUT, Hex, 1/4-20
9	1665780	1	CONNECTOR, Metal, 6"
10	1917377	4	WASHER
11	916952	2	WINGNUT, 1/4-20
12	1665778	2	ROD, 17"
13	1665779	1	BONNET
14	1665777	1	PANEL, Front
15	1665776	1	PANEL, Rear
16	1665775	2	PANEL, Side




NOTE: Use standard hardware torque spec, chart unless otherwise noted.

Ref. No.	Part No.	Qty.	Description
		<del></del>	
1	1665658	ī	SUPPORTING RING, Bag
2	921919	4	CLAMP, Hose
3	1666931	1	TUBE, Exhaust
4	1665657	1	UPRIGHT ASSY.
5	1922122	2	SCREW, Self-tapping, #10 x 1/2
6	1665659	1	GUARD, P.T.O. Pulley
7	1917372	6	NUT, Hex, Full, 5/16-18
8	1917356	6	LOCKWASHER, 5/16
9	1665662	2	BEARING & FLANGE ASSY.
10	1931333	6	CARRIAGE BOLT, 5/16-18 x 3/4
11	1667317	2	SCREW, Wing, 5/16-18 x 2
12	1916950	6	NUT, Hex, Full, 3/8-16
13	1917378	6	LOCKWASHER, 3/8
14	1921972	4	CAPSCREW, Hex Hd., 3/8-16 x 2-1/2
15	1665656	1	TRAY ASSY.
16	911171	1	KEY, Woodruff, #11, 3/16 x 7/8
17	1665714	1	DECAL, Warning
18	1665665	1	BLADES, Blower (Pair)
19	1909589	2	LOCKWASHER, Internal Tooth, 1/2
20	1916951	2	NUT, Hex, Full, 1/2-13
21	1920328	2	CAPSCREW, Hex Hd., 1/2-13 x 1-1/2
22	1665660	1	HOUSING, blower
23	1665661	t	SHAFT, Blower
24	1665664	1	PULLEY, Blower
25	1665667	2	CLEVIS, Mount
26	1960033	2	CLIPS, Hairpin
27	1665676	1	ANGLE, Reinforcement
28	927538	1	SCREW, Shoulder, Hex Socket Hd., 1/2 x 1/2
29	1924361	2	WASHER, Plain, 1/2
30	1921971	1	CAPSCREW, Hex Hd., 3/8-16 x 2-1/2
31	1665668	1	PULLEY, Idler
32	1665663	1	ARM, Tension (Idler)
33	1665669	1	SPRING, Tension
34	1665670	1	ELBOW, Blower
35	1657189	1	HOSE, Lower, 7" x 45"
36	170164	1	BELT, Drive
37	1665674	1	TOP, Canvas Bag
38	1665673	1	BAG, Canvas
39	1678490	1	HOSE, Upper (For earlier models)
40	1665715	1	TUBE, Exhaust (For earlier models)




NOTE: Use standard hardware torque spec, chart unless otherwise noted.

Ref. No.	Part No.	Qty.	Description
1	1918452	1	COTTER PIN, 1/8 x 1
2	1918403	1	LOCKNUT, Hex, Jam, 3/8-24
3	102004	1	PIN, Pivot
4	1608761	1	LEVER ASSY,, Lift
5	1930540	1	SETSCREW, Sq. Hd., 5/16-18 x 5/8
6	157695	1	COLLAR, Set
7	1917372	1	NUT, Hex, Full, 5/16-18
8	1917356	1	LOCKWASHER, 5/16
9	1930562	1	SCREW, Hex Hd., Thread Forming
			Gimlet Pt., #14 x 1-1/4
10	1920415	1	CAPSCREW, Hex Hd., 3/8-16 x 1-1/4
11	174723	1	GUARD, Cable
12	157081	1	SPACER
13	174215	1	PIN
14	1657563	1	CABLE ASSY., Lift
15	1918447	1	COTTER PIN, 3/32 x 1
16	172725	1	PULLEY
17	1928731	1	LOCKNUT, Hex, Jam, 3/8-16
18	1920563	1	CARRIAGE BOLT, 5/16-18 x 1
19	1673564	1	GUIDE, Cable
20	1928721	1	SETSCREW, Sq. Hd., 5/16-18 x 1/2
21	8021010	1	COLLAR, Set
22	1657564	1	CLEVIS ASSY., Lift
23	1708298	1	PIN
24	1918196	1	CLIP, Spring
25	1671603	1	RETAINER, Cable
26	1921319	1	WASHER, Plain



Front Wheel Weight

\*117



# Rear Wheel Weight

Ref. No.	Part No.	Qty.	Description
1	1916951	6	NUT, Hex, Full, 1/2-13
2	1916966	4	LOCKWASHER, 1/2
3	1667494	2	ROD, Threaded
*4		1	WEIGHT, Wheel
5	1918431	2	WASHER, Plain, 1/2 (1690411)
	1960027	2	WASHER, 1/2 (1691352)


<sup>&</sup>quot;If a wheel weight is needed order Mfg. No. 1690411 or 1691352.

/ Mfg. No. 1690555


## Front Wheel Weight

Ref. No.	Part No.	Qty.	Description	
t	1960513	2	CAPSCREW, Hex Hd., 3/8-16 x 8 (3" Thread length)	
*2		1	WEIGHT, Wheel	
3	1924940	2	WASHER, Plain, 3/8	
4	1916950	2	NUT, Hex, Full, 3/8-16	


<sup>\*</sup>If a wheel weight is needed order Mfg. No. 1690555.



Ref.	Part No.			
No.		Qty.	Description	
1	1960033	5	CLIP, Spring	
2	1666285	1	ROD, Lift	
3	1928721	2	SETSCREW. Sq. Hd., 5/16-18 x 1/2	
4	8031007	2	COLLAR, Set	
5	171011	1	SPRING	
6	171679	1	GUIDE ASSY,, Rod	
7	1603602	1	PIN, King	
8	1667449	1	BAR ASSY.; Push	
9	118053	2	PIN	
10	1678549	1	PIN, Pivot	



Ref.	Part		
No.	No.	Qty.	Description
1	1667451	1	BAR ASSY., Push
2	118053	2	PIN
3	106788	4	CLIP, Spring
4	1916950	2	NUT, Hex, Full, 3/8-16
5	1916965	2	LOCKWASHER, 3/8
6	1921966	2	CAPSCREW, Hex Hd., 3/8-16 x 7/8
7	1666288	1	BRACKET, Handle Support
8	1923358	1	LOCKNUT, Hex, 1/4-20
9	172162	1	EYEBOLT
10	8031007	2	COLLAR, Set
11	1928721	2	SETSCREW, Sq. Hd., 5/16-18 x 1-1/2
12	171011	1	SPRING
13	1666285	1	ROD, Litt
14	921469	2	PIN, Spring, 7/32 x 1
15	107136	1	LATCH, Rod
16	1918447	4	COTTER PIN, 3/32 x 3/4
17	107118	1	ROD, Pivat
18	1923362	1	LOCKNUT, Hex, 5/16-18
19	106787	1	CLIP, Spring
20	106131	1	FORK ASSY.
21	1921221	1	CAPSCREW, Hex Hd., 5/16-18 x 1-1/2
22	107120	1	STUD, Pivot
23	1921333	1	CAPSCREW, Hex Hd., 5/16-18 x 1
24	1917642	1	WASHER, Plain, 5/16
25	156150	1	SPACER
26	107119	1	ARM, Pivot
27	1917356	2	LOCKWASHER, 5/16
28	1917372	6	NUT, Hex, Full, 5/16-18
29	1919314	2	COTTER PIN, 3/16 x 1-1/4
30	174066	1	PIN, Pivot
31	107135	1	SPRING
32	1700665	1	FRAME ASSY., Pivot
33	1920328	2	CAPSCREW, Hex Hd., 1/2-13 x 1
34	105051	2	SPACER
35	1922134	2	LOCKNUT, Hex. 1/2-12
36	101126	2	SPRING, Tension
37	107121	2	EYEBOLT
38	1918452	2	COTTER PIN, 1/8 x 1
39	171679	1	GUIDE ASSY., Rod
40	107116	1	PLATE ASSY., Pivat
41	174073	1	LATCH




Ref. No.	Part No.	Qty.	Description
1	1916950	4	NUT, Hex, Full, 3/8-16
2	1916965	4	LOCKWASHER, 3/8
3	174718	1	QUADRANT ASSY. (Late model tractor)
4	1921965	2	CAPSCREW, Hex Hd., 3/8-18 x 3/4
5	154 <u>22</u> 7	1	BUTTON, Thumb
6	152006	1	SPRING
7	157167	1	ROD, Latch, R.H.
8	154226	1	SPACER
9	157160	1	LEVER ASSY., Lift, R.H.
10	156209	1	GRIP, Handle
11	157166	1	LATCH, Lift Lever
12	1918447	1	COTTER PIN, 3/32 x 3/4
13	918113	1	PIN, Spring, 3/8 x 1
14	1928721	1	SETSCREW, Sq. Hd., 5/16-18 x 1/2
15	8021010	1	COLLAR, Set
16	1918431	1	WASHER, Plain, 1/2
17	174711	1	LEVER ASSY.
18	1920415	1	CAPSCREW, Hex Hd., 3/8-16 x 1-1/4
19	1924650	1	LOCKNUT, Hex, Jam, 1/2-13
20	1923114	1	CAPSCREW, Hex Hd., 1/2-13 x 1
21	1666286	1	ROD, Lift
22	1918196	2	PIN, Ouick

The following parts are included in Mfg. No. 1690500 but are used only on early model tractors (1967 and earlier).


Ref. No.	Part No.	Qty.	Description
	107046	1	ROD, Lift
	157168	1	SPACER
	157169	2	WASHER, Plain
	157170	1	LEVER, Lift
	1921212	1	CAPSCREW, Hex Hd., 7/16-14 x 1/2
	1917356	2	LOCKWASHER, 5/16
	1917642	2	WASHER, Plain, 4/16
	1925205	1	CAPSCREW, Hex Hd., 5/16-18 x 5/8
	1921966	1	CAPSCREW, Hex Hd., 3/8-16 x 7/8
	1921332	1	CAPSCREW, Hex Hd., 5/16-18 x 3/4
	1928701	1	NUT, Retainer, 5/16-18
	1918199	1	LOCKWASHER, 7/16
	157163	1	OUADRANT ASSY., Early Model Tractors





Ref, No.	Part No.	Oty.	Description
1	1923471	3	CAPSCREW, Hex Hd., 7/16-14 x 1-1/4
2	1918199	3	LOCKWASHER, 7/16
3	1933263	3	WASHER, 29/84 x 1-1/4 x 1/4
4	1679158	1	PULLEY ASSY., 42" Mower
5	1657969	3	SHIELD, Bearing, Upper
6	1655729	3	HOUSING, Arbor, Top
7	108202	6	BEARING
8	1679194	1	SHAFT, Arbor, Center
9	1703273	3	HOUSING, Arbor, Bottom
10	1916964	4	LOCKWASHER, 1/4
11	1916622	4	NUT, Hex, Full, 1/4-20
12	1679161	2	PULLEY ASSY., Deck Drive
13	1676277	2	SHAFT, Arbor, Side (Incl. Ref. No. 15, Qty. 1)
14	1664847	18	SCREW, Hex, Washer Hd., Taptite, 5/16-18 x 3/4
15	1657528	3	RING, Self-locking
16	1931333	4	CARRIAGE BOLT, 5/16-18 x 3/4
17	108426	1	BRACKET & SHAFT ASSY., 42" Mower
18	1668513	2	ROLLER
19	1960020	2	WASHER, 21/32
20	1918458	2	COTTER PIN
21	108224	1	BRACKET, Roller, L.H.
22	1916950	6	NUT, Hex. Full, 3/8-16
23	1916965	6	LOCKWASHER, 3/8
24	1931348	2	CARRIAGE BOLT, 3/8-16 x 3/4
<b>2</b> 5	1917372	4	NUT, Hex, Full, 5/16-18
26	1917356	4	LOCKWASHER, 5/16
27	1675587	1	BAFFLE, 42" Mower
28	1921959	2	CAPSCREW, Hex Hd., 1/4-20 x 5/8
29	1925592	2	SCREW, Thread Forming, 1/4-20 x 3/4
30	108186	2	CLIP, Baffle
31	1921319	2	WASHER, Plain, 9/32
32	1960268	4	CARRIAGE BOLT, 3/8-16 x 1-1/4
33	108366	1	BAR, ReInforcement
34	108219	2	BRACKET ASSY., Front
35	1685281	1	HOUSING, 42" Mower (Orange)
0.0	61685281	1	HOUSING, 42" Mower (Black)
36	1679195	1	SHAFT & BEARING ASSY., Center
27	4.55		(Incl. Ref. Nos 7 & 8)
37	1676278	2	SHAFT & BEARING ASSY., Side
			(Incl. Ref. Nos. 7 & 13)
38	1924940	4	WASHER, 13/32 LD.
39 40	1707335	3	GASKET, Foam
40	1651500	1	BRACKET, R.H.
41	1651499	1	BRACKET, L.H.
12	1924356	2	WASHER, 13/32
13	1921210	2	CAPSCREW, Hex Hd., 3/8-16 x 1
14	1921965	2	CAPSCREW, Hex Hd., 3/8-16 x 3/4

<sup>\*</sup> Early model only.



NOTE: Use standard hardware torque spec, chart unless otherwise noted.

Ref. No.	Part		Description
- <del></del>	No	Gty.	
t	1929000	10	SCREW, Hex, Taptite, 1/4-20 x 3/8
2	1921210	2	CAPSCREW, Hex Hd., 3/8-16 x 1
3	1924940	7	WASHER, Plain, 13/32
4	108717	2	SPACER
5	1916965	3	LOCKWASHER, 3/8
6	1916950	2	NUT, Hex, Full, 3/8-16
7	1651520	2	ARM, Adjusting
8	1919262	2	NUT, Hex, Jam, 1/2-20
9	157215	2	EYEBOLT
10	1709067	1	DECAL, Belt Adjustment
11	1704277	1	DECAL, Danger, Deflector in Place
12	1676096	1	COVER, R.H. (Orange)
	61676096	1	COVER, R.H. (Black)
13	1676095	1	COVER, L.H. (Orange)
	61676095	1	COVER, L.H. (Black)
14	1704276	1	DECAL, Danger, Rotating Blade
15	1656960	1	V-BELT, Arbor Drive
16	1700230	3	WASHER, Shim
17	1700229	3	SHIELD, Grass
18	1655777	3	ADAPTER, Blade
19	1960268	1	CARRIAGE BOLT, 3/8-16 x 1-1/4
20	1679917	3	BLADE, 42" Mower
21	1679711	3	WASHER, Spline
22	1656916	3	WASHER, Spring
23	1923491	3	CAPSCREW, Hex Hd., 7/16-14 x 1
24	1917421	1	NUT, Hex, Jam, 3/8-16
25	1928352	1	NUT, Hex, Flange, Whizlock, 3/8-16
26	1704926	1	PULLEY ASSY., Idler
27	171815	1	EYEBOLT
28	1674669	1	SPACER
29	1676148	2	BUSHING
30		1	LEVER ASSY., Idler (Order Ref. No. 32)
31	1656936	1	SPRING
32	1704659	1	LEVER ASSY., Idfer (Incl. Ref. Nos. 25 & 26)
33	912808	1	FITTING, Grease, 1/4-28
34	1704383	1	DECAL, Cutting Width, 42"


Safety Decals Ref. No. 11 & Ref. No. 14



PANGER


ROTATING CUTTING BLADE

DO NOT PUT HANDS OR FEET UNDER
MOWER DECK WHILE BLADE IS
ROTATING.




NOTE: Use standard hardware torque spec, chart unless otherwise noted.

Ref. No.	Part No.	Qty.	Description
t	172044	1	BRACKET, Roller, L.H.
2	1931350	4	CARRIAGE BOLT, 3/8-16 x 1
3	172914	2	SPACER
4	1918458	4	COTTER PIN, 3/16 x 1
5	1960020	4	WASHER, Plain, 5/8
6	1657893	1	BAR, Roller
7	1916965	4	LOCKWASHER, 3/8
8	1651820	2	GRIP
9	1650394	2	HANDLE, Adjusting
10	1651514	1	ROCKER ARM ASSY.
11	108241	2	SOCKET ASSY.
12	108360	2	SPRING
13	1917421	2	NUT, Hex, Jam, 3/8-16
14	108512	2	PIVOT
15	1657894	1	SHAFT ASSY., Roller
16	1916950	8	NUT, Hex, Full, 3/8-16
17	172045	1	BRACKET, Roller, R.H.
18	1668513	7	ROLLER
19	1924940	6	WASHER, Plain, 13/32 I.D.
20	1918447	2	COTTER PIN, 3/32 x 3/4
21	1921210	2	
22	1930651	2	CAPSCREW, Hex Hd., 3/8-16 x 1
23	1921968	2	LOCKNUT, Hex, Full, 3/8-16 CAPSCREW, Hex Hd., 3/8-16 x 1-1/4




42" & 48" Rotary Mower - Deflector, Stone Guard & Rocker Arm Group

Ref. No.	Part No.	Qty.	Description
1	1666801	1	V-BELT, PTO to Mower - 42" Mower
	108508	1	V-BELT, PTO to Mower - 48" Mower
2	1916950	4	NUT, Hex, 38-16
3	1916965	4	LOCKWASHER, 3/8
4	1924356	3	WASHER, Special
5	1654477	1	DEFLECTOR - 42" Mower (Orange)
	61651177	1	DEFLECTOR - 42" Mower (Black)
	1651184	1	DEFLECTOR - 48" Mower (Orange)
	61651184	1	DEFLECTOR - 48" Mower (Black)
6		1	DECAL, OPEI (Not Serviced)
7	1960268	4	CARRIAGE BOLT, 3/8-16 x 1-1/4
8	174167	1	GUARD ASSY., Stone - 42" Mower
	174127	1	GUARD ASSY., Stone - 48" Mower
9	156306	2	PIN
10	176012	2	PIN, Clip
11	172468	1	ROCKER ARM ASSY.
12	105051	2	SPACER
13	1921176	2	CAPSCREW, Hex Hd., 1/2-13 x 1-1/4
14	1916966	4	LOCKWASHER, 1/2 (Qty. 2 on 48" Mower)
15	1913744	4	NUT, Hex, Jam, 1/2-13 (Qty. 2 on 48" Mower)
16	1651516	2	PIN, Pivot (42" Mower only)
17	1918452	2	COTTER PIN. 1/8 x 1
18	1960116	2	PIN, Yoke, (48" Mower only)



Ref.	Part	Qty.	Description
No. 	No		
1	1923471	3	CAPSCREW, Hex Hd., 7/16-14 x 1-1/4
2	1918199	3	LOCKWASHER, 7/16
3	1933263	3	WASHER, 29/64 x 1-1/4 x 1/4
4	1679157	1	PULLEY ASSY., 48" Mower
5	1657969	3	SHIELD, Bearing, Upper
6	1655729	3	HOUSING, Arbor, Top
7	108202	6	BEARING
8	1679194	1	SHAFT, Arbor, Center
9	1703273	3	HOUSING, Arbor, Bottom
10	1916964	4	LOCKWASHER, 1/4
11	1916622	4	NUT, Hex, Full, 1/4-20
12	1679161	2	PULLEY ASSY., Deck Drive
13	1676277	2	SHAFT, Arbor, Side (Incl. Ref. No. 15, Qty. 1)
14	1664847	18	SCREW, Hex, Washer Hd., Taptite, 5/16-18 x 3/4
15	1657528	3	RING, Self-Locking
16	1931333	4	CARRIAGE BOLT, 5/16-18 x 3/4
17	108454	1	BRACKET & SHAFT ASSY., 48" Mower
18	1668513	2	ROLLER
19	1960020	2	WASHER, 21/32
20	1918458	2	COTTER PIN
21	108224	1	BRACKET, Roller, L.H.
22	1916950	6	NUT, Hex, Full, 3/8-16
23	1916965	6	LOCKWASHER, 3/8
24	1931348	2	CARRIAGE BOLT, 3/8-16 x 3/4
25	1917372	4	NUT, Hex, Full, 5/16-18
26	1917356	4	LOCKWASHER, 5/16
27	16747747	1	BAFFLE, 48" Mower
28	1921959	2	
29	1925592	2	CAPSCREW, Hex Hd., 1/4-20 x 5/8
30	108186	2	SCREW, Thread Forming, 1/4-20 x 3/4 CLIP, Baffle
31	1921319	2	
32	1960268	4	WASHER, Plain, 9/32
33	108366	1	CARRIAGE BOLT, 3/8-16 x 1-1/4 BAR, Reinforcement
34	108219	2	BRACKET ASSY., Front
15	1685282	1	
	61685282	j	HOUSING, 48" Mower (Orange)
6	1679195	1	HOUSING, 48" Mower (Black)
		•	SHAFT & BEARING ASSY., Center
37	1676278	2	(Incl. Ref. Nos. 7 & 8)
		_	SHAFT & SEARING ASSY., Side
38	1924940	4	(Incl. Ref. Nos. 7 & 13)
9	1707335	3	WASHER, 13/32 I.D.
	1707000	۵	GASKET, Foam



NOTE: Use standard hardware torque spec, chert unless otherwise noted.

Ref.	Part		
No.	No.	Oty.	Description
1	1929000	14	SCREW, Hex, Taptite, 1/4-20 x 3/8
2	1679957	1	COVER, R.H. (Orange)
	61679957	1	COVER, R.H. (Black)
3	1709067	1	DECAL, Belt Installation, Adjustment
4	1676067	1	COVER, L.H. (Orange)
	61676067	1	COVER, R.H. (Black)
5	154304	2	YOKE
6	1919262	2	NUT, Hex, Jam, 1/2-20
7	1704277	1	DECAL, Danger, Deflector in Place
8	1921176	2	CAPSCREW, Hex Hd., 1/2-13 x 1-1/4
9	105051	2	SPACER
10	1924361	2	WASHER, Plain, 7/16
11	1916966	2	LOCKWASHER, 1/2
12	1916951	2	NUT, Hex, Full, 1/2-13
13	172473	1	BAIL ASSY.
14	1657044	1	V-BELT, Arbor Drive
15	1960268	1	CARRIAGE BOLT, 3/8-16 X 1-1/4
16	1704276	1	DECAL, Danger, Rotating Blade
17	1700230	3	WASHER, Shim
18	1700229	3	SHIELD, Grass
19	1655777	3	ADAPTER, Blade
20	1928352	1	NUT, Hex, Flange Whizlock, 3/8-16
21	1679916	3	BLADE, 48" Mower
22	1679711	3	WASHER, Spline
23	1656916	3	WASHER, Spring
24	1923491	3	CAPSCREW, Hex Hd., 7/16-14 x 1
25	1917421	1	NUT, Hex, Jam, 3/8-16
26	1916965	1	LOCKWASHER, 3/8
27	1924940	5	WASHER, Plain, 13/32
28	912808	1	FITTING, Grease, 1/4-28
29	171815	1	EYEBOLT
30	1704926	1	PULLEY ASSY., Idler
31	1674669	1	SPACER
32	1676148	2	BUSHING
33		1	LEVER ASSY., (Order Ref. No. 35)
34	1656936	1	SPRING
35	1704659	1	LEVER ASSY., Idler (Incl. Ref. Nos. 28 & 32)
36	1704384	1	DECAL, Cutting Width, 48"

Safety Decais Ref. No. 7 & Ref. No. 16




ROTATING CUTTING BLADE

DO NOT OPERATE MOWER WITHOUT
DEFLECTOR OR ENTIRE GRASS
CATCHER IN PLACE.




ROTATING CUTTING BLADE

DO NOT PUT HANDS OR FEET UNDER
MOWER DECK WHILE BLADE IS
ROTATING.



NOTE: Use standard hardware torque spec, chart unless otherwise noted.


Ref. No.	Part No.	City.	Description
1	172046		
2	1960020	1	BRACKET, Roller, L.H.
3		6	WASHER, Plain, 5/8
	1918458	4	COTTER PIN, 3/16 x 1
4	1668513	9	ROLLER
5	172015	i	ROCKER ARM ASSY,
6	172047	1	BRACKET, Roller, R.H.
7	1668541	1	SHAFT ASSY,, Roller
8	1931350	4	CARRIAGE BOLT, 3/8-16 x 1
9	1650394	2	HANDLE, Adjusting
10	1651820	2	GRIP
11	108241	2	SOCKET ASSY.
12	1657891	1	BAR, Roller
13	108360	2	SPRING
14	1917421	2	NUT, Hex, Jam, 3/8-16
15	1916950	8	NUT, Hex, Full, 3/8-16
16	1916965	4	LOCKWASHER, 3/8
17	1924940	8	WASHER, 3/8
18	1918447	2	COTTER PIN, 3/32 x 3/4
19	1921210	2	CAPSCREW, Hex Hd., 3/8-16 x 1
20	1930651	2	LOCKNUT, Hex Full, 3/8-16
21	1921968	2	CAPSCREW, Hex Hd., 3/8-16 x 1-1/4
22	108512	2	PIVOT



Ref. No.	Part No.	Qty.	Description
1	1921210	4	CAPSCREW, Hex Hd., 3/8-16 x 1
2	1916965	11	LOCKWASHER, 3/8
3	164206	t	GUARD, Belt
4	1925205	2	CAPSCREW, Hex Hd., 5/16-18 x 5/8
5	1917356	2	LOCKWASHER, 5/16
6	164205	1	BRACKET, Selt Guard
7	930670	2	KEY, Hi-Pro
8	1669967	1	HOSE, Exhaust
9	1928866	2	SCREW, Rd. Hd., 1/4-20 x 3
10	123067	1	CLAMP, Hose
11	1916964	11	LOCKWASHER, 1/4
12	1916622	11	NUT, Hex, Full, 1/4-20
13	123012	1	HOUSING HALF ASSY., Blower
14	123087	1	BEARING ASSY., Flange & Shaft
15	123015	1	FAN ASSY.
16	177084	1	DECAL, Caution
17	123107	1	DEFLECTOR
18	919804	2	SCREW, Round Hd., Thread Forming, #10 x 3/8
19	177271	2	CLAMP, Bar
20	108848	2	NUT, Wing
21	1928698	2	LOCKNUT, Hex, Jam, 5/16-18
22	123065	1	CLAMP, Hose
23	177334	1	ELBOW ASSY, (Incl. Ref. No. 24)
24	123111	1	FLANGE, Hose
25	177268	1	HOUSING ASSY.
26	1921958	9	CAPSCREW, Hex Hd., 1/4-20 x 1/2
27	1918196	3	PIN, Quick
28	118053	1	PIN
29	1928721	1	SETSCREW, 5/16-18 x 1/2
30	1920415	4	CAPSCREW, Hex Hd., 3/8-16 x 1-1/4
31	1921965	t	CAPSCREW, Hex Hd., 3/8-16 x 3/4
32	106663	1	PULLEY
33	928701	2	NUT, Retainer, 5/16-18
34	1665706	1	V-BELT
35	1916950	7	NUT, Hex, Full, 3/8-16
36	1668032	1	SUPPORT ASSY., Blower Housing
37	1678552	1	WASHER, Eccentric
38	1666525	1	TUBE, Intake
39	1926018	3	NUT, Speed, 1/4-20
40	1935023	3	SCREW, Wing, 1/4-20 x 5/8
41	1669153	1	COVER
42	1669154	1	SUPPORT
43	1930531	9	SCREW, Truss Hd., #10-32 x 1/2
44	1916955	18	WASHER, Plain, 3/16
45	1909055	9	LOCKWASHER, Int., #10
46	1917415	9	NUT, Hex, Mach., #10-32
47	155037	2	PIN
48	157695	1	COLLAR, Set
49	1930540	1	SETSCREW, 5/16-18 x 5/8
50	154216	1	SHAFT, Lift
51	8021010	1	COLLAR, Set
52	1928721	1	SETSCREW, Sq. Hd., Cup Pt., 5/16-18 x 1/2


NOTE: Parts Ref. Nos. 53-74 continued on the following page.






Ref. No.	Part No.	Qty.	Description
53	8141003	4	WASHER
54	1669157	1	SHAFT ASSY,
55	1713549	1	V-BELT
56	164199	1	ARM ASSY., Tension
57	932726	1	RING, Retaining
58	154258	2	BEARING, Needle
59	1669155	1	HOUSING ASSY., Bearing (Incl. Ref. No. 58, Qty. 2)
60	923428	2	LOCKNUT, Hex, 3/8-16
61	1917378	5	WASHER, Plain, 3/8
62	1685150	2	PULLEY ASSY., Idler
63	1921969	1	CAPSCREW, Hex Hd., 3/8-16 x 1-1/2
64	158196	2	WASHER, Special
65	1924361	1	WASHER, Plain, 7/16
66	1918199	1	LOCKWASHER, 7/16
67	1918213	1	NUT, Hex, Full, 7/16-14
68	158195	1	PULLEY
69	159106	1	SPRING, Tension
70	164195	1	ARM ASSY., Idler
71	914687	i	FITTING, Grease
72	159159	1	SPRING
73	1666294	2	SPACER
74	1923701	1	CAPSCREW, Hex Hd., 3/8-16 x 2

NOTE: Parts Ref. Nos. 1-52 found on preceding page.





#### Snowthrower Kit

Ref. No.	Part No.	Qty.	Description
1	1666031	1	ROD ASSY., Clutch
2	1666022	i	FORK, Clutch
3	1666285	1	ROD, Lift
4	1666324	1	V-BELT

### Mfg. No. 1690558

#### Alternator w/Bracket

Ref.	Part No.		
No.		Qty.	Description
1	1667202	1	GUARD, Belt
2	1667203	1	BRACKET, Tractor Mounting
3	1667205	1	BRACKET, Alternator Mounting
4	1667204	1	ROD, Belt Tension
5	1921176	2	CAPSCREW, 1/2-13 x 1-1/4
6	1922134	2	LOCKNUT, Hex, 1/2-13
7	1921333	4	CAPSCREW, 5/16-18 x 1
8	106719	1	DECAL, Simplicity
9	1917356	7	LOCKWASHER, 5/16
10	1917372	7	NUT, Hex, 5/16-18
11	1916951	2	NUT, Hex, 1/2-13
12	1921332	3	CAPSCREW, 5/16-18 x 3/4
13	1917377	8	WASHER, Plain, 5/16
14	155037	2	PIN, 7/16 x 1-3/4
15	1960033	3	PIN
16	1667207	2	DECAL, Warning
17	157695	1	COLLAR, Set
18	8021010	1	COLLAR, Set
19	154216	1	SHAFT, Support
20	164202	1	PULLEY
21	108508	1	V-BELT
*22		1	ALTERNATOR
items No	ot Shown		
	1930544	1	SETSCREW, 5/16-18 x 3/8
	905850	1	KEY, 3/16 x 3/16 x 1


\*Order repair parts for alternator from: GENERAC

P.O. Box 8


Waukesha, WI 53187-9987

Phone 414-544-4811


Refer to generator I.D. number on alternator.



Part No.	Qty.	Description
1713541	1	BODY & FRAME ASSY.
		(Mfg. Nos. 1690547, 1691521 only)
1713542	1	BODY & FRAME ASSY.
		(Mfg. Nos. 1690548, 1691522 only)
177434	2	SKID
1924940	4	WASHER, Plain, 3/8
1916965	4	LOCKWASHER, 3/8
		(Qty. 5 on Mfg. Nos. 1691521, 1691522)
1916950	4	NUT, Hex, Full, 3/8-16
		(Qty. 5 on Mfg. Nos. 1691521, 1691522)
106863	1	SCRAPER, Body (Mfg. No. 1690547 only)
	=	SCRAPER, Body (Mfg. No. 1690548 only)
	<del>-</del>	PLATE, Side
		BEARING, Cartridge
		CAPSCREW, Hex, 5/16-18 x 3/4 SPROCKET, Rotor
	<del>-</del>	
	=	SETSCREW, 5/16-18 x 5/16
		FLANCE, Bearing
		FLANGE, Bearing
	<del>-</del>	KEY
	•	ROTOR ASSY. (Mfg. Nos. 1690547, 1691521 only)
	-	ROTOR ASSY. (Mfg. Nos. 1690548, 1691522 only)
1923330	2	Nut, Hex, Lock, 1/4-20
1016064		(Qty. 10 on Mfg. Nos. 1690548, 1651522)
1910904	9	LOCKWASHER, 1/4
1000000	_	(Qty. 10 on Mfg. Nos. 1690548, 1691522)
1923362	2	LOCKNUT, Hex, 5/16-18
4000440	_	(Qty. 3 on Mfg. Nos. 1691521,1691522)
		CARRIAGE BOLT, 3/8-16 x 3/4
		LOCKWASHER, 5/16
		NUT, Hex, Full, 5/16-18
1921959	9	CAPSCREW, Hex. 1/4-20 x 5/8
	_	(Oty. 10 on Mfg. Nos. 1690548, 1691522)
		DEFLECTOR
	=	CAPSCREW, Hex, 5/16-18 x 5/8
	2	WASHER, Piain, 1/4
	1	DECAL, Safety
	1	BEARING
1701917	1	LEVER ASSY.
1675232	1	SPRING
1656835	1	CHAIN, 3 Link
1924356	2	WASHER
176934	1	GRIP
108717	1	SPACER
1921977	1	CAPSCREW, 5/16-18 x 1-1/4
1921969	1	CAPSCREW, Hex, 3/8-16 x 1-1/2
1919381		WASHER, Plain, 5/16
	1	WASHER
		I.D. Plate
1701940		DECAL, Caution
		NUT, Hex, 1/4-20
		DECAL, Danger
		NUT, Hex, Flange Lock, 5/16-18
1969904	I	NUT, Hex, Lock, 5/16-18
	No.  1713541  1713542  177434 1924940 1916965  1916950  106863 106746 1676632 173934 1921332 106653 1928721 172278 172278 172279 151040 106856 106748 1923358  1916964  1923352  1922110 1917356 1917372 1921959  106774 925205 1919326 1679206 171388 1701917 1675232 1656835 1924356 176934 108717 1921969	No.         Qty.           1713541         1           177434         2           1924940         4           1916965         4           1916950         4           106863         1           106746         1           1676632         1           173934         2           1921332         8           106653         1           1928721         1           172278         2           172279         2           151040         1           106856         1           106748         1           1923358         2           1916964         9           1923352         2           1916964         9           1923352         2           1916964         9           1923352         2           1921979         4           1917376         4           1917372         4           1921959         9           106774         1           925205         4           1919326         2           1679208




Ref. No.	Part No.	Qty.	Description
1	1928721	1	SETSCREW, 5/16-18 x 1/2
2	171248	1	PULLEY
3	1922127	2	CAPSCREW, Hex, 5/16-18 x 1-3/4
4	1666145	2	CLAMP
5	8061012	4	WASHER
6	154258	2	BEARING, Needle (Use with Ref. No. 8)
7	1921133	1	FITTING, Grease
8	1651084	i	HOUSING ASSY., w/Bearings
			(Mfg. Nos. 1690547, 1691521 only)
	1650955	1	HOUSING ASSY., w/Bearings
			(Mfg. Nos. 1690548, 1691522 only)
9	1917372	2	NUT, Hex, Full, 5/16-18
10	1917356	2	LOCKWASHER, 5/16
11	1928352	7	LOCKNUT, Flange, 3/8-16
12	905123	1	KEY
13	106860	1	SHAFT ASSY. (Mfg. Nos. 1690547, 1691521 only)
	106757	1	SHAFT ASSY. (Mfg. Nos. 1690548, 1691522 only)
14	1669105	2	SPACER
15	171242	1	CHAIN (Auger Drive)
16	1676738	1	GUARD, Chain
17	1960244	2	SCREW, Hex, Whizlock, 3/8-16 x 2-3/4
18	1934654	3	SCREW, Hex, Whizlock, 3/8-16 x 1, Gr. 5



Ref.	Part				
No.	No.	Qty.	Description		
1	1667791	1	DEFLECTOR		
2	1917642	3	WASHER, Plain, 5/16		
3	1670578	1	KNOB, 5/16-18 x 1		
4	1923362	2	LOCKNUT, Hex, 5/16-18		
5	1917356	3	LOCKWASHER, 5/16		
6	1917372	3	NUT, Hex, Full, 5/16-18		
7	1920563	1	CARRIAGE BOLT, 5/16-18 x 1		
8	1936482	2	SCREW, Truss Hd., 5/16-18 x 3/4		
9	1667790	2	SPACER		
10	1704294	1	CHUTE ASSY.		
11	171379	1	WASHER, Cup		
12	1919326	1	WASHER, Plain, 5/16		
13	171362	1	CABLE ASSY.		
14	1921210	3	CAPSCREW, Hex, 3/8-16 x 1		
15	1930645	3	NUT, Hex, Flange, 3/8-16		
16	1707522	1	ARM, Support		
17	1918447	2	COTTER PIN, 3/32 x 3/4		
18	171382	1	CLAMP		
19	1927428	1	SCREW, Hex, Taptite, 1/4-20 x 3/8		
20	121175	1	LINER		
21	152050	1	GUIDE, Rod		
22	1921221	1	CAPSCREW, Hex, 5/16-18 x 1-1/2		
23	1713417	1	ROD ASSY., Spout		
24	176933	1	GRIP, Handle		
25	1677488	1	DECAL, Danger		
26	1704446	1	GUARD, Chute Assy.		
27	1960126	2	PUSH NUT		
28	1713419	1	HANDLE, Spout Control		
29	1923325	2	CAPSCREW, Hex Hd., 5/16-18 x 7/8		
30	1935048	2	NUT, Hex, Flange Lock, 5/16-18		
31	1679206	1	DECAL, Caution		
32	1677485	1	DECAL, Safety		
33	171388	1	BEARING, Self-Align, 1/2 I.D.		


NOTE: Early style one-piece spout control handles can be replaced with Service Kit Part No. 1685618 which includes Ref. Nos. 23, 28, 29, 30 & 33.

<sup>\*</sup>When used in conjunction with Mfg. No. 1690496 (Snow Cab) order Kit No. 1686619, which includes City. 1 of Part No. 1713483 (Handle) along with Ref. Nos. 23, 29 & 30.




Ref. No.	Part	Ot.	· ·
NO.	No.	aty,	Description
* 1	177048	1	SHIELD, Carburetor
* 2	1665789	1	DEFLECTOR ASSY
3	106788	2 <sup>.</sup>	CLIP, Spring
4	1923701	1	CAPSCREW, Hex Hd, 3/8-16 x 2
5	1924940	2	WASHER, Plain, 3/8
6	171247	1	PULLY, Idler
7	162115	2	STOP, Belt
В	1916965	3	LOCKWASHER, 3/8
9	1916950	3	NUT, Hex, Full, 3/8-16
10	1666765	1	HITCH ASSY
11	156306	4	PIN
12	177565	2	CLIP, Frame
13	1930650	4	LOCKNUT, Hex, Flange, 7/16-14
14	1917372	i	NUT, Hex, Full, 5/16-18
15	1917356	1	LOCKWASHER, 5/16
16	1920676	4	CAPSCREW, Hex Hd, 7/16-14 x 1
17	1920415	2	CAPSCREW, Hex Hd, 3/8-16 x 1-1/4
18	174242	2	SPACER
19	176012	4	CLIP, Spring
20	1667698	1	STOP, Belt
21	1919326	1	WASHER, Plain, 5/16
22	1921332	1	CAPSCREW, Hex Hd, 5/16-18 x 3/4
23	8031007	2	COLLAR, Set
24	1928721	2	SETSCREW, 5/16-18 x 1/2
25	171679	1	GUIDE ASSY, Rod
26	1666285	1	ROD, Lift
27	171011	1	SPRING
*28	1921960	2	CAPSCREW, Hex Hd ,1/4-20 x 1
*29	172656	2	SPACER
*30	1916964	2	LOCKWASHER, 1/4
*31	1916622	2	NUT, Hex, Full, 1/4-20
32	1666798	1	V-BELT, Drive
33	1922130	1	CAPSCREW, Hex Hd, 3/8-16 x 2-1/4
34	1676267	2	REFLECTOR, Rear

<sup>\*</sup>Winterizing Kit, Part No. 1690565 Includes Ref. Nos. 1, 2, 28, 29, 30 & 31; for use with Briggs & Stratton 16 HP single cylinder only.




Ref. No.	Part No.	Qty.	Description
1	1676688	2	HOSE, Hydraulic
2	1676698	2	TIE, Plastic
3	1676703	1	CLAMP, Hose
4	1923358	1	LOCKNUT, 1/4 x 20
5	908297	1	BOLT, 1/4-20 x 1-1/4
6	1700875	2	BOLT, 3/8-14 x 1-1/4
7	1921212	1	BOLT, 7/16-14 x 1-1/2
8	1676689	1	BRACKET, Footrest
9	1919262	2	NUT, Jam, 1/2-20
10 11	919423	2	NUT, 1/2-20
12	1924361	4	WASHER, 1/2
13	1918213 1918 <b>199</b>	1	NUT, 7/16-13
14	1925125	1	LOCKWASHER, 7/16 WASHER, 7/16
15	927008	2	80LT, 3/8 x 24 x 1
16	1676706	1	STOP, Mower (42" mower only)
17	1916965	3	LOCKWASHER, 3/8
18	1918602	5	NUT, 3/8 x 24
19	1676705	i	BUSHING, Flanged
* 20	1676850	1	GLAND ASSY.
* 21	1676851	i	LOCKWIRE
* 22	1676849	1	PISTON ROD ASSY.
23	1676693	1	FITTING, Elbow
24	1676695	1	ADAPTOR
25	1676694	1	FITTING, Elbow
* 26	1676852	1	TUBE, Cylinder
* 27	1676847	1	VALVE ASSY.
28	927322	1	BOLT, 3/8 x 2
29	1668927	2	NUT, Self-locking, 3/8-24
* 30	1930651	1	NUT, Nyloc
* 31	1676844	1	STUD, Actuator
* 32 * aa	1676848	1	FITTING, Grease
* 33	1676845	1	SLEEVE, Actuator
34 25	1676690	1	WELDMENT, Cylinder Extention
35 36	1676708	1	BOLT, 1/2-20 x 1-3/4
36 37	1676697	1	BALL JOINT, Female, 1/2
36	1960114	3	WASHER, Special
39	1930544 1676704	1 1	SETSCREW, 5/16-18 x 3/8
40	1916966	†	SPACER LOCKWASHER, 1/2
41	1916950	2	NUT, 3/8-16
42	1676696	2	BALL JOINT, Male, 3/8
43	1676707	1	LINK, Drag
44	1930245	á	LOCKNUT, 1/2-20
45	1676701	1	LINK
46	1922127	2	BOLT, 5/16-18 x 1-3/4
47	1676699	1	PLATE, Pivot
48	1676700	2	SPACER, "L" Bracket
49	1676702	3	BUSHING
50	924119	3	BOLT, 1/2-20 x 1-1/4
51	1919326	2	WASHER, 5/16-16 x 3/4
52	1917356	2	LOCKWASHER, 5/16
53	1917372	2	NUT, 5/16 x 18
54	1676691	1	BRACKET, Carrier
<b>55</b>	1960103	2	WASHER, 3/8-16 x 3/4
56	1676687	1	CYLINDER VALVE ASSY.
	1676846	1	SEAL KIT, Valve (not shown)
#Parada -	1676853	1	SEAL KIT, Cylinder (not shown)
service	parts for valve.		



NOTE: Use standard hardware torque spec, chart unless otherwise noted.

# 42" Dozer Blade




Ref. No.	Part No.	aty.	Description
1	122175	1	LAMP ASSY.
2		·	LAMP, Seal Beam (Order Ref. No. 1)
3	1679887	1	RING
4	1679160	1	WIRE
5	172434	2	CLIP, Wire
6	934663	1	CLIP, Wire
7	1605751	1	CONNECTOR
8	122187	1	WIRE
9	122157	1	CONNECTOR
10	122159	1	CLIP, Wire
11	1916951	1	NUT, Hex, 1/2-13, Unc 2B, Steel
12	1916966	1	LOCKWASHER, Spring, 1/2, Plated
13	1924361	2	WASHER, Plain, 7/16
14	122053	1	SPACER

Mfg. No. 1691520

## 42" Dozer Blade

Ref. No.	Part No.	Qty.	Description	
1	1701477	1	BLADE ASSY.	
2		1	I.D. PLATE	
3	1917372	4	NUT, Hex, Full, 5/16-18	
4	1675198	2	EYEBOLT	
5	101126	2	SPRING, Tension	
6	1701482	1	FRAME ASSY., Pivot	
7	1922134	2	NUT, Hex Lock, 1/2-13	
8	105051	2	SPACER	
9	1920328	2	CAPSCREW. Hex, 1/2-13 x 1	
10	107106	2	SHOE ASSY.	
11	1917378	4	WASHER, PLAIN, 3/8	
12	1916965	10	LOCKWASHER, 3/8	
13	1921965	4	CAPSCREW, Hex Hd., 3/8-16 x 3/4	
14	107045	1	PLATE, Wear	
15	1916950	6	NUT, Hex Full, 3/8-16	
16	1931350	6	CARRIAGE BOLT, 3/8-16 x 1	



Ref. No.	Part No.	Qty,	Description	
1	1656929	1	PULLY ASSY.	
2	1923471	3	CAPSCREW, Hex Hd., 7/16-14 x 1-1/4	
3	1918199	3	LOCKWASHER, 7/16	
4	1933263	3	WASHER, Plain, 29/64	
5	1655867	2	PULLEY ASSY., Deck Drive	
6	1657969	3	SHIELD, Bearing Upper	
7	1655729	3	HOUSING, Top	
8	108202	6	BEARING	
9	1685251	2	SHAFT & BEARING ASSY., Side	
			(Includes Ref. Nos. 8, 10 8 17)	
10	1685245	2	SHAFT, Arbor, Side (Includes Ref. No. 17)	
11	1685246	1	SHAFT, Arbor, Center (Includes Ref. No 17)	
12	1685252	1	SHAFT B, BEARING ASSY., Center	
			(Includes Ref. Nos. 8, 11 8 17)	
13	1703273	3	HOUSING, BOTTOM	
14	1664847	18	SCREW, Hex Wash. Hd., Taptite, $5/16-18 \times 3/4$	
*15	108219	2	FRONT BRACKET ASSY.	
*16	108366	1	BAR, Reinforcement	
17	1672132	3	COLLAR, Mower Arbor	
18	1916965	6	LOCKWASHER, 3/8	
19	1916950	6	NUT, Hex, Full, 3/8-16	
*20	1922109	4	BOLT, Carriage 3/8-16 x 1-1/4	
21	1685281	1	HOUSING, 42"	
22	1922110	2	BOLT, Carriage, 3/8-16 x 3/4	
23	108186	2	CLIP, Baffle	
24	1675587	1	BAFFLE	
25	1921959	5	CAPSCREW, Hex Hd., 1/4-20 x 5/8	
26	1925592	2	SCREW, Thd. Cutting, 1/4-20 x 3/4	
27	1916964	4	LOCKWASHER, 1/4	
28	1916622	4	NUT, Hex, Full, 1/4-20	
29	1917377	2	WASHER, Plain, 1/4	
30	1920562	2	CARRIAGE BOLT, 5/16-18 x 3/4	
31	108224	1	BRACKET, Roller, L.H.	
32	1917356	4	LOCKWASHER, 5/16	
33	1917372	4	NUT, Hex, Full, 5/16-18	
** 34	1651500	វ	BRACKET, R.H.	
** 35	16514 <del>99</del>	1	BRACKET, L.H.	
** 36 **	1924356	2	WASHER, 13/32	
** 37 ** 30	1921210	2	CAPSCREW, Hex Hd., 3/8-16 x 1	
™ 38	1921965	2	CAPSCREW, Hex Hd., 3/8-16 x 3/4	

<sup>\*</sup> Used after Serial No. 15122

ASSEMBLY PROCEDURES - 42" Mower (Housing & Arbor Group)

<sup>\*\*</sup> Used before Serial No. 15123


A. Press (2) bearings (Ref. No. 8) with land riding seat tacing up over shafts (Ref. No.10 & 11) using pressure only on the inner face of the bearing.

B. Assemble upper and lower arbor housings (Ref. Nos. 7 & 13) over bearings. Must be careful that housings do not cock on bearings. When upper and lower housing flanges come together proper alignment of holes in bousing flanges are accomplished by aligning knockouts in lower housing flange with mating holes in upper housing flange. Also half holes in outer edge must match.


C. Seal between flanges of upper arbor housing and lower arbor housing with gasket eliminator. Remove contaminates such as grease, heavy oils and dirt from flange surfaces before assembly. Avoid lateral movement between flange surfaces during assembly.

\*\*103

\*\*104




Ref. No.	Part No.	Qty.	Desc	ription
1		1929000	10	SCREW, Hex, Taptite, 1/4-20 x 3/8
2		1921210	2	CAPSCREW, Hex Hd., 3/8-16 x 1
3		1917642	7	WASHER, Plain, 5/16
4		108717	2	SPACER
5		1916965	4	LOCKWASHER, 3/8
6		1916950	3	NUT, Hex, Full, 3/8-16
7		1651520	2	ARM, Adjusting
8		1919262	2	NUT, Hex, Jam, 1/2-20
9		157215	2	EYEBOLT
10		1709067	1	DECAL, Belt Installation
11		1704277	1	DECAL, Danger
12		1676095	1	COVER, R.H.
13		1676096	1	COVER, L.H.
14		17074276	1	DECAL, Danger
15		1656960	1	BELT, "V", Arbor Drive
16		1700230	3	WASHER, Shim
17		1700229	3	SHIELD, Grass
18		1655777	3	ADAPTOR, Blade
19		1960032	1	CAPSCREW, Hex Hd., 3/8-16 x 1-1/4
20		1656144	3	BLADE, 42" Mower
21		1656927	3	WASHER, Spline
22		1656916	3	WASHER, Spring
23		1923491	3	CAPSCREW, Hex Hd., 7/16-14 x 1
24		1917421	1	NUT, Hex, Jam, 3/8-16
25		1666294	1	SPACER
26		1685144	1	PULLEY ASSY.
27		171815	1	EYEBOLT
28		8171073	1	RACE, Inner
29		1657682	1	BUSHING
30			1	LEVER ASSY., Idler (See Ref. No. 32)
31		1656936	1	SPRING
32		1657684	1	LEVER ASSY., Idler (w/Bushing)



Ref. No.	Part No.	aty.	Description
1	108426	1	BRACKET 8 SHAFT ASSY
2	1922110	4	BOLT, Carriage 3/8-16 x 3/4
**3	172914	2	(Qly 6 used on older models) SPACER
4	1918458	6	PIN, Cotter 3/16 x 1
5	1919387	6	WASHER, Plain, 5/8
6	1657893	1	BAR, Roller
**7	1668513	4	ROLLER
8	1651820	2	GRIP
9	1650394	2	HANDLE, Adjusting
10	1917378	6	WASHER, Plain, 3/8
11	108241	2	SOCKET ASSY
12	108360	2	SPRING
13	1917421	2	NUT, Hex, Jam, 3/8-16
14	108512	2	PIVOT
15	1657894	1	SHAFT ASSY, Roller
16	1916950	8	NUT, Hex, Full, 3/8-16
17	172045	1	BRACKET, Roller, R H
*18	108432	3	ROLLER, 2-1/2 x 6-3/4
19	1924940	2	WASHER, Plain, 3/8
20	1918 <del>44</del> 7	2	PIN, Cotter, 3/32 x 3/4
21	1921210	2	CAPSCREW, Hex Hd, 3/8-16 x 1
22	1930651	2	LOCKNUT, Hex, Full, 3/8-16
23	1935156	2	CAPSCREW, Hex Hd, 3/8-16 x 1, 5/8 Thd
24	1651514	1	ROCKER ARM ASSY
25	172044	1	BRACKET, Roller, L H
26	1916965	4	LOCKWASHER, 3/8

<sup>\*</sup> Used before Serial No. 8577


<sup>\*\*</sup> Used after Serial No. 8576



Ref.	Part					
No.	No.	Qty.	Description			
1	1923471	3	CAPSCREW, Hex Hd., 7/16-14 x 1-1/4			
2	1918199	3	LOCKWASHER, 7/16			
3	1933263	3	WASHER, Plain, 29/64			
4	1655867	2	PULLEY ASSY., Deck Drive			
5	1656928	1	PULLEY ASSY.			
6	1657969	3	SHIELD, Bearing Upper			
7	1655729	3	HOUSING, Top			
8	108202	6	BEARING			
9	<b>16852</b> 45	2	SHAFT, Arbor (Includes Ref. No. 33)			
10	1685251	2	SHAFT & BEARING ASSY., Side			
			(Includes Ret. No. 8, 9 & 33)			
11	1685252	1	SHAFT & BEARING ASSY., Center			
			(Includes Ref. Nos. 8, 12 & 33)			
12	1685246	1	SHAFT, Arbor, Center (Includes Ref. No. 33)			
13	1703273	3	HOUSING, Bottom			
14	1664847	18	SCREW, Hex Wash, Hd., Taptite, 5/16-18 x 3/4			
15	108219	2	BRACKET ASSY., Front			
16	1922109	4	CARRIAGE BOLT, 3/8-16 x 1-1/4			
17	1916965	6	LOCKWASHER, 3/8			
18	1916950	6	NUT, Hex, Full, 3/8-16			
19	1685282	1	HOUSING, 48"			
20	108366	1	BAR, Reinforcement			
21	108224	1	BRACKET, Roller, L.H.			
22	1920562	2	CARRIAGE BOLT, 5/16-18 x 3/4			
23	1916622	4	NUT, Hex, Full, 1/4-20			
24	1916964	4	LOCKWASHER, 1/4			
25	1917377	2	WASHER, Plain, 1/4			
26	1925592	2	SCREW, Thd. Forming, 1/4-20 x 3/4			
27	1922110	2	CARRIAGE BOLT, 3/8-16 x 3/4			
28	108186	2	CLIP, Baffle			
29	1921959	2	CAPSCREW, Hex Hd., 1/4-20 x 5/8			
30	1674774	1	BAFFLE			
31	1917372	2	NUT, Hex, Full, 5/16-18			
32	1917356	2	LOCKWASHER, 5/16			
33	1672132	3	COLLAR, Mower Arbor			


## ASSEMBLY PROCEDURE - 48" Mower Housing & Arbor Group

- A. Press (2) bearings (Ref. No. 3) with land riding seal out over shaft (Ref. Nos. 9 & 12) using pressure only on the inner race of the bearing.
- B. Assemble upper and lower arbor housings (Ref. Nos. 7 &13) over bearings. Must be careful that housings do not cock on bearings. When upper and lower housing flanges come together proper alignment of holes in housing flanges are accomplished by aligning knockouts in lower housing flange with mating holes in upper housing flange. Also half holes in outer edge must match.
- C. Seal between flanges of upper arbor housing and lower arbor housing with gasket eliminator. Remove contaminates, such as grease, heavy oil and dirt from flange surfaces before assembly. Avoid lateral movement between flange surfaces during assembly.



Ref. No.	Part No.	Qty.	Description			
			Best Milan			
1	1929000	14	SCREW, Hex, Taptite, 1/4-20 x 3/8			
2	1679957	1	COVER. R.H.			
3	1709067	1	DECAL, Belt Installation			
4	1676067	1	COVER. L.H.			
5	154304	2	YOKE			
6	1919262	2	NUT, Hex, Jam, 1/2-20			
7	1676922	2	DECAL, Danger			
8	1921176	2	CAPSCREW, Hex Hd., 1/2-13 x 1-1/4			
9	105051	2	SPACER			
10	1918430	2	WASHER, Plain, 7/16			
11	1916966	2	LOCKWASHER, 1/2			
12	1916951	2	NUT, Hex, Full, 1/2-13			
13	172473	1	BAIL ASSY.			
14	1657044	1	BELT, "V", Arbor Drive			
15	172015	1	ROCKER ARM ASSY.			
16	170427 <del>6</del>	1	DECAL, Danger			
17	1700230	3	WASHER, Shim			
18	1700229	3	SHIELD. Grass			
19	1655777	3	ADAPTOR, Blade			
20	1916950	2	NUT, Hex, 3/8-16			
21	1656143	3	BLADE. 48" Mower			
22	1656927	3	WASHER, Spline			
23	1656916	3	WASHER, Spring			
24	1923491	3	CAPSCREW, Hex Hd., 7/16-14 x 1			
25	1917421	2	NUT, Hex, Jam, 3/8-16			
26	1916965	2	LOCKWASHER, 3/8			
27	1917642	5	WASHER, Plain, 5/16			
28	1666294	2	SPACER			
29	171815	1	EYEBOLT			
* 30	1685144	1	PULLEY ASSY.			
31	8171073	1	RACE, Inner			
32	1657682	1	BUSHING			
33		1	LEVER ASSY., Idler (See Ref. No. 35)			
34	1656936	1	SPRING			
35	1657684	1	LEVER ASSY., Idler (w/Bushing)			
36	1960032	1	CAPSCREW, Hex Hd., 3/8-16 x 1-1/4			

<sup>\*</sup>Ret. No. 30 Includes Ref. No. 28.




Ref. No.	Part No.	O	B. 10	
<del></del>		Qty.	Description	
1	108454	1	BRACKET & SHAFT ASSY.	
2	1919387	8	WASHER, Plain, 5/8	
3	1918458	6	PIN, Cotter. 3/16 x 1	
4	1668513	11	ROLLER, 2-1/2 x 3-15/16	
*5	108432	5	ROLLER, 2-1/2 x 6-3/4	
6	172047	1	BRACKET, Roller, R.H.	
7	1668541	1	SHAFT ASSY., Roller	
8	1922110	4	CARRIAGE BOLT, 3/8-16 x 3/4	
9	1650394	2	HANDLE, Adjusting	
10	<b>16</b> 51820	2	GRIP	
11	108241	2	SOCKET ASSY.	
12	1917378	6	WASHER, Plain, 3/8	
13	108360	2	SPRING	
14	1917421	2	NUT, Hex, Jam, 3/8-16	
15	1916950	8	NUT, Hex, Full, 3/8-16	
16	1916965	4	LOCKWASHER, 3/8	
17	1924940	2	WASHER, 3/8	
18	1918447	2	PIN, Cotter, 3/32 x 3/4	
19	1921210	2	CAPSCREW, Hex Hd., 3/8-18 x 1	
20	1930651	2	LOCKNUT, Hex, Full, 3/8-16	
21	1935156	2	CAPSCREW, Hex Hd., 3/8-16 x 1	
22	108512	2	PIVOT	
23-	1657891	1	BAR, Roller	
24	172046	1	BRACKET, Roller, L.H.	


<sup>\*</sup>Used before Serial no. 9509

\*\*2354 \*\*1547 2Ć NOTE: Use standard hardware torque spec, chart unless otherwise noted.


Ref.	Part					
No.	No.	Qty.	Description			
1	1700760	1	COVER, White			
2	1700763	1	ROD, Straight			
3	1708098	2	CLIP			
4	1700866	1	SLEEVE, Plastic			
5	176012	2	CLIP, Safety			
6	1700758	1	TUBE, Support			
7	1700768	2	HANDLE, Lift			
8	1916964	4	LOCKWASHER, 1/4			
9	1916622	4	NUT, Hex, 1/4-20			
10	1923362	4	LOCKNUT, Hex, 5/16-18			
11	1920397	1	NUT, Nylon Insert, 1/4-20			
12	1700765	1	HANDLE, Latch			
13	1916966	2	LOCKWASHER, 1/2			
14	1917372	1	NUT, Hex, Full, 5/16-18			
15	1920161	1	NUT, Hex, Jam, 5/16-18			
16	1700267	2	SPACER, Plastic, 5/16			
17	1921677	4	CAPSCREW, Hex Hd., 5/16-18 x 1-1/2			
18	1919326	6	WASHER, Flat, 5/16			
19	1921977	1	CAPSCREW, Hex Hd., 5/16-18 x 1-1/4			
20	1700761	1	ROD, Support			
21	1921210	8	CAPSCREW, Hex Hd., 3/8-16 x 1			
22	102004	2	PIN, Clevis, 1/2 x 1-1/4			
23	1700769	1	FRAME			
24	1924940	8	WASHER, Flat, 3/8			
25	1930651	8	LOCKNUT, Hex, 3/8-16			
26	1676892	2	WHEEL, Swive)			
27	1922134	2	LOCKNUT, Hex, 1/2-13			
28	1921176	2	CAPSCREW, 1/2-13 x 1-1/4			
29	1700767	1	"U" BRACKET			
30	1917372	3	NUT, Hex, 5/16-18			
31	1917356	3	LOCKWASHER, 5/16			
32	1918249	3	CAPSCREW, Slotted Truss, 5/16-18 x 3/4			
33	1921958	4	CAPSCREW, Slotted Truss, 1/4-20 x 1/2			
34	1700757	1	BOX			
35	1706099	1	CLAMP, Sleeve			
36	1700762	1	ROD, Frame			
37	1700766	1	STRAP, Rubber			




Ref. No.	Part No.	Qty.	Description			
1	1675766	<del></del> 1	DECAL, Cleaning Instructions			
2	1700773	1	TUBE ASSY., (Incl. Ref. No. 1)			
3	1930627	4	NUT, Hex, Full, Lock, #10-32			
4	1923212	4	WASHER, Plain, #10			
5	1930531	4	SCREW, Phillips, Truss Hd., #10-32 x 1/2			
6	1679895	1	HOSE			
7	1679896	i	CLAMP, 6"			
8	1921176	2	CAPSCREW, Hex, 1/2-13 x 1-1/14			
ġ	1921212	4	CAPSCREW, Hex, 7/16-14 x 1-1/2			
10	1918199	4	LOCKWASHER, 7/16			
11	1918213	4	NUT, Hex, Full, 7/16			
12	1916951	2	NUT, Hex, Full, 1/2-13			
13	1916966	2	LOCKWASHER, 1/2			
14	1675645	1	BRACKET, Hitch (Frame)			
15	1915726	2	NUT, Hex, Full, 5/8			
16	1917373	2	LOCKWASHER, 5/8			
17	1700674	2	BRACKET, Hitch (Cart)			
18	1923151	2	CAPSCREW, Hex, 5/8-11 x 1-1/4			




Ref. No.	Part No.	Qty. Description				
	·	·	<u> </u>			
1	102035	1	FRAME ASSY.			
2	917398	2	CAPSCREW, Hex, 5/16-18 x 1-3/4			
3	8161045	3	CLIP, Hairpin			
4	102037	1	TONGUE ASSY,			
5	919362	2	CAPSCREW, Hex, 3/8-16 x 2-1/4			
6	916965	6	LOCKWASHER, 3/8			
7	916950	6	NUT, Hex, Full, 3/8-16			
8	930596	1	CAPSCREW, Hex, 3/8-16 x 2-3/4			
9	102075	1	SPRING, Torsion			
10	917378	3	WASHER, Flat, 3/8			
11	923428	1	NUT, Hex, Full, 3/8-16			
12	102051	1	CLEVIS ASSY.			
13	105249	1	PIN			
14	1713992	2	WHEEL & TIRE ASSY. (Incl. Ref. Nos. 15, 16, 17 & 18)			
15	1713993	2	WHEEL			
16	156316	2	8EARING			
17	1713994	2	TIRE			
18	153038	2	TUBE			
19	918459	2	PIN, Cotter, 3/16 x 1-1/2			
20	918433	2	WASHER, Flat, 3/4			
21	102002	1	BODY, Trailer			
22	102003	1	GATE, End			
23	102004	2	PIN, Pivot			
24	102005	1	PLATE, Box Guide			
25	102024	1	BOX PIVOT ASSY.			
26	102040	1	PLATE, Box Catch			
27	815076	2	Bushing			
28	907731	2	CAPSCREW, Hex, 3/8-16 x 1			
29	102027	1	AXLE ASSY.			
30	923362	2	LOCKNUT			



Ref. No.	Part No.	lo. Qty. Description					
1	1676688	2	HOSE, Hydraulic				
2	1676698	4	TIE				
3	1676703	1	CLAMP, Hose				
4	923358	1	LOCKNUT, 1/4-20				
5	908297	t	BOLT, 1/4-20 x 1-1/4				
6	1700875	2	BOLT, 3/8-24 x 1-1/4, Gr. 8				
7	1921212	1	BOLT, 7/16-14 x 1-1/4, Gr. 5				
8	1708194	1	BRACKET, Cylinder				
9	919262	2	JAM NUT, 1/2-20				
10	919423	2	NUT, 1/2-20				
11	924361	4	WASHER, Flat, 1/2 x 1-1/8 x 5/64				
12	918213	1	NUT, 7/16-13				
13	918199	1	LOCKWASHER, 7/16				
14	1925125	2	WASHER, Flat, 7/16				
15	927008	2	BOLT, 3/8-24 x 1, Gr. 8				
16	1676706	1	MOWER STOP				
17	916965	3	LOCKWASHER, 3/8				
18	916602	5	NUT, 3/8-24				
19	1676705	1	BUSHING, Flanged				
20	1676850	i	GLAND ASSY.				
21	1676851	1	LOCK WIRE				
22	1676849	i	PISTON & ROD ASSY.				
23	1676693	2	FITTING				
24	1960103	2					
25	1708193	1	WASHER, Flat, 3/8 x 3/4 CYLINDER VALVE ASSY.				
26	1676852	i					
27	1708197	i	CYLINDER TUBE				
28	927322	; 1	VALVE				
29	1668927	2	BOLT, 3/8-24 x 2, Gr. 8				
30	1930651	1	LOCKNUT, 3/8-24				
31	1676844	1	LOCKNUT, Centerlock, 3/8-16				
32	1676848	1	ACTUATOR STUD				
33	1676845	1	GREASE FITTING				
34	1676690	i 1	ACTUATOR SLEEVE				
35	1676708		CYLINDER EXTENSION				
36		1	BOLT, 1/2-20 x 1-1/4				
37	1676697	1	BALL JOINT				
38	1960114	3	WASHER, Special				
39	930544	1	SETSCREW, 5/16-18 x 3/8				
40	1676704	1	SPACER				
	916966	1	LOCKWASHER, 1/2				
41	916950	2	NUT, 3/8-16				
42	1676696	2	BALL JOINT				
43	1676707	1	DRAG LINK				
44	930245	3	LOCKNUT, 1/2-20				
45	1676701	1	ROCKER LINK				
46	922127	2	BOLT, 5/16-18 x 1-3/4				
47	1676699	1	PIVOT PLATE				
48	1676700	2	SPACER				
49	1676702	3	BUSHING				
50	924119	3	BOLT, 1/2-20 x 1-1/4, Gr. 5				
51	919326	2	WASHER, Flat, 5/16 x 3/4				
52	917356	2	LOCKWASHER, 5/16				
53	917372	2	NUT, 5/16-18				
54	1676691	1	CARRIER				



Ref.	Part					
No.	No.	Qty.	Description			
1	1679891	1	MOUNTING PLATE			
2	1923341	2	CAPSCREW, Hex Hd., 1/4-20 x 3/4			
3	1960346	1	CAPSCREW, Hex Hd., Full Thread, 1/4-20 x 2-1/4			
4	1700936	1	STOP, Deflector			
5	1924009	1	CAPSCREW, Hex Hd., 1/4-20 x 7/8			
6	1927557	6	NUT, Flange Lock, 5/16-18			
7	1665982	4	RETAINER, Bearing			
В	108202	2	BEARING			
9	1700259	1	DECAL, Warning			
10	1706654	1	TURBO HOUSING (Incl. Ref. No. 29)			
11	1679900	1	HOOK, Stoneguard			
12	1930641	17	NUT, Hex, Flange Whiz, 1/4-20			
13	1933988	6	PUSHNUT, 5/16			
14	1676435	1	WASHER, Plain, 1/2			
15	1931333	7	CARRIAGE BOLT, 5/16-18 x 3/4			
16	1706631	1	FAN ASSY., 5-Blade			
17	960403	1	KEY, Modified			
18	1960268	1	CARRIAGE BOLT, 3/8-16 x 1-1/4			
19	1928731	3	LOCKNUT, Jam, 3/8-16			
20	1706652	1	PLATE, Shroud			
21	170397	1	BELT STOP			
22	1919326	1	WASHER, 11/32			
23	1702553	1	COVER, Top			
24	1924940	5	WASHER, 13/32			
25	1928691	1	SETSCREW, Socket Hd., 5/16-18 x 5/16			
26	1706634	1	PULLEY, Driven			
27	1666114	1	SPACER			
28	1921969	1	CAPSCREW, Hex, 3/8-16 x 1-1/2			
29	1679554	1	SPRING			
30	174561	1	PULLEY, "V"			
31	1701827	1	IDLER ARM ASSY.			
32	1921210	1	CAPSCREW, Hex, 3/8-16 x 1			
33	157424	1	WASHER, Special			
34	1917356	1	LOCKWASHER			
35	1917372	1	NUT, 5/16			
36	1708030	1	PULLEY, Idler			
37	1921959	13	CAPSCREW, Hex Hd., 1/4-20 x 5/8			



Ref. No.	Part No.	City. Description				
<u> </u>	110.	uty.	Description			
1	1700669	1	KNOB, Plastic			
2	1709326	1	COVER ASSY., Belt (Incl. Ref. Nos. 3, 6 & 7)			
3	1922122	2	SCREW, Hex Hd., Thread Forming, #10-1/2			
4	1933988	1	PUSHNUT, 5/16			
5	1700649	1	HINGE			
6	1928919	2	NUT, Hex #10-32			
7	1923362	1	LOCKNUT, Hex, Full, 5/16-18			
8	1679163	1	WING NUT ASSY.			
9	1917372	6	NUT, Hex, Full, 5/16-18			
10	1917356	6	LOCKWASHER, 5/16			
11	1700638	1	CLAMP, Upper			
12	1935255	1	PAL NUT			
13	1700797	1	PIVOT ASSY., Deflector			
14	1921977	1	CAPSCREW, Hex, 5/16-18 x 1-1/4			
15	1960486	1	CAPSCREW, Hex, Flat Socket Hd., 5/16-18 x 1-1/4			
16	1679898	1	CLAMP, Lower			
17	1960318	1	CAPSCREW, 5/16-18 x 2-1/2			
18	1925205	1	CAPSCREW, Hex, 5/16-18 x 5/8			
19	1700851	1	SPRING, Torsion			
20	1926110	2	CAPSCREW, Hex, 7/16-14 x 2-3/4			
21	1700801	1	PIVOT BRACKET, L.H.			
22	1918199	2	LOCKWASHER, 7/16			
23	1918213	2	NUT, Hex, Full, 7/16-14			
24	1923325	2	CAPSCREW, Hex, 5/16-18 x 7/8			
25	1700802	1	PIVOT BRACKET, R.H.			
26	1700800	1	ROD, Hinge			
27	1679914	1	V-BELT (48.7")			
28	1709335	i	PULLEY ASSY.			
29	1927120	ì	CAPSCREW, Hex. 7/16-14 x 2-1/4			
30	922121	2	SCREW, Round Hd., #10-32 x 3/8			
31	1700013	1	COVER, L.H			
32	1933741	2	SPEED NUT, #10			
33	1709328	1	COVER, L.H.			
34	1674020	1	PLUG, Mower Cover			
35	1709327	1				
36	1921210	3	BRACKET, Support			
37	1931350	8	CAPPIAGE DOLT 2/9.16 x 1			
38	1924940	1	CARRIAGE BOLT, 3/8-16 x 1			
39	1916965	1 11	WASHER, Plain, 3/8			
40	1916950	11	LOCKWASHER, 3/8			
41	1677651	11	NUT, Hex, 3/8-16			
42	1960170	3	BRACE, Bracket Support			
43	1677157		WASHER, Plain, 1/2 x 1 x 1-3/64			
44	1677157	1	DEFLECTOR ASSY.			
45		1	STONE GUARD			
46	1708067 1709324	1	"U" BRACKET			
		1	ADAPTER, "U" Bracket			
47 49	1920328	2	CAPSCREW, Hex Hd., 1/2-13 x 1-1/2			
48	1960335	2	NUT, Hex, Esna Lock, 1/2-13			
49 50	155037	2	PIN, Round Hd., 7/16 X 1-3/4			
50	1960033	2	CLIP, Hairpin			
51	1960064	1	PIN, Yoke, 1/2 x 1-7/8			
52	1669565	1	SPACER, 1/2 l.D. x 3/4 O.D. x 11/16			
53	176012	1	CLIP, Safety			
54	1929000	2	SCREW, Hex, Taptite, 1/4-20 x 3/8			
Not Shown	1918452	2	COTTER PIN, 1/8 x 1 (For bail arm pivot pins)			

## TORQUE SPECIFICATIONS FOR STANDARD MACHINE HARDWARE TOLERANCE ±20%

SIZE	SAE GRADE #2		SAE GRADE #5		SAE GRADE #8	
	In./Lbs. Ft./Lbs.	Nm.	In./Lbs. Ft./Lbs.	Nm.	In./Lbs. Ft./Lbs.	Nm.
8-32	19	2.1	30	3.4	41	4.6
8-36	20	2.3	31	3.5	43	4.9
10-24	27	3.1	43	4.9	60	4.5 6.8
10-32	31	3.5	49	5.5	68	7.7
1/4-20	66	7.6	8	10.9	12	16.3
1/4-28	76	8.6	10	13.6	14	19.
5/16-18	11	15,	17	23.1	25	34.
5/16-24	12	16.3	19	25.8	25	34.
3/8-16	20	27.2	30	40.8	45	61.2
3/8-24	23	31.3	35	47.6	50	68.
7/16-14	30	40.8	50	68.	70	95.2
7/16-20	35	47.6	55	74.8	80	108.8
1/2-13	50	68.	75	102.	110	149.6
1/2-20	55	74.8	90	122.4	120	163.2
9/16-12	65	88.4	110	149.6	150	204,
9/16-18	75	102.	120	163.2	170	231.2
5/8-11	90	122.4	150	204.	220	299.2
5/8-18	100	136.	180	244.8	240	326.4
3/4-10	160	217.6	260	353.6	386	525.
3/4-16	180	244.8	300	408.	420	571.2
7/8-9	140	190.4	400	544.	600	816.
7/8-14	155	210.8	440	598.4	660	897.6
1-8	220	299.2	580	788.8	900	1,224.
1-12	240	326.4	640	870.4	1,000	1,360.

## NOTE:

- These torque values are to be used for all hardware excluding: locknuts, self-tapping screws, thread forming screws, sheet metal screws and socket head setscrews.
- 2. Recommended seating torque values for locknuts:
  - a. For prevailing torque locknuts use 65% of grade 5 torques.
  - b. For flange whizlock nuts (and screws) use 135% of grade 5 torques.
- Unless otherwise noted on assembly drawlings all torque values must meet this specification.

## BOLT HEAD MARKING S.A.E. GRADE:









TP-861-05 Printed in USA B/94